



OFFICE OF THE CHIEF EXECUTIVE OFFICER,  
SHRI MATA VAISHNO DEVI SHRINE BOARD,  
Central Office, Jammu Road, Katra (J&K) – 182301  
E-mail: [aceovb@maavaishnodevi.net](mailto:aceovb@maavaishnodevi.net), [purchase\\_sec@maavaishnodevi.net](mailto:purchase_sec@maavaishnodevi.net)

**Notice Inviting e-Tender**

**e-NIT No. CO/Pur/Elect/627-II/3320 Dated: 12.01.2026**

For and on behalf of Shri Mata Vaishno Devi Shrine Board, e.bids are invited through Chief Executive Officer, Shri Mata Vaishno Devi Shrine Board, Katra (herein after referred as SMVDSB, Katra) from the Original Equipment Manufacturers (OEMs) & / or their authorized distributors / dealers only for seeking rates for **Supply of different types LED Lights for a period of 03 months:-**

Description of items	Tender Fee (non-refundable)	Amount of EMD (Rs.)
<b>LED Lights</b> as per specifications & tentative quantity mentioned in <b>Annexure “A”</b> of the bid document	Rs. 1500.00	75,000/-

The e-NIT consisting of Qualifying Information, Eligibility Criteria, Specifications, Bill of Quantities, (B.O.Q), set of Terms & Conditions of e-NIT and other details can be seen / downloaded from the website:- <http://jktenders.gov.in> & on SMVDSB website [www.maavaishnodevi.org](http://www.maavaishnodevi.org) as per following schedule:-

Date of Publishing of e-NIT	12.01.2026 at 12:30 PM
Download Start Date	12.01.2026 from 01:00PM onwards
<b>Pre-Bid Meeting</b>	<b>16. 01.2026 from 12 Noon onwards</b>
Bid Submission Start Date	17. 01.2026 from 05:00 PM onwards
Bid Submission End Date (Online)	27. 01.2026 at 03:00PM
Date of Opening of Technical Bid (Online)	28.01.2026 at 03:00 PM or any convenient date and time of the committee.
Date of Opening of Financial Bid (Online)	Shall be intimated to the technically qualified bidders.

The Bids shall be submitted in Electronic Format on the e-tender portal i.e. [www.jktenders.gov.in](http://www.jktenders.gov.in) and should be submitted strictly in accordance with the provisions of the detailed e-NIT. Complete bidding process will be done online on e-tender portal [www.jktenders.gov.in](http://www.jktenders.gov.in) only. However, the Bid document is also available on the official website of SMVDSB i.e. [www.maavaishnodevi.org](http://www.maavaishnodevi.org) for reference purpose only.

**Non Refundable Tender Fee of Rs. 1500/-** (Rupees One Thousand Five hundred Only) shall be deposited in the official account of Shri Mata Vaishno Devi Shrine Board Branch J&K Bank Katra, Account No. 0235040500001804, IFSC – JAKA0KATTRA (“0” Zero) and the tenderer shall also upload the scanned copy of the same along with other prescribed documents without which the tender/offer shall be rejected outrightly.

**The Earnest Money Deposit in the form of CDR/FDR amounting to Rs. 75,000/-** (Rupees Seventy Thousand only) drawn from any Nationalized / Scheduled Bank duly pledged to the FA / Chief Accounts Officer, Shri Mata Vaishno Devi Shrine Board, Katra must accompany the e-tender

document **or** the amount of EMD can be deposited in the official account of Shri Mata Vaishno Devi Shrine Board Branch J&K Bank Katra, Account No. 0235040500001804, IFSC – JAKA0KATTRA (“0” Zero). The tenderer shall have to upload the scanned copy of the same along with other prescribed documents without which the tender/offer shall be rejected out rightly.

No Proposal shall be submitted to SMVDSB in physical form unless and until the same is uploaded on the e-tendering website. The Hardcopies of the Bid documents (**except the Financial Bid**) shall be deposited via Registered Post **or** Speed Post **or** Courier **or** By Hand in the office of Chief Executive Officer, Shri Mata Devi Shrine Board, Central Office, Katra – 182301 before the opening of the technical bid without which the offer submitted by the firm shall not be considered. SMVDSB is not responsible for any postal delay whatsoever.

**Sd/-**  
**(Vipan Bhagat) JKAS**  
**Asstt. Chief Executive Officer**

**No: CO/Pur/Elect/627-II/3320**  
**Dated: 12.01.2026**

**Instruction to bidders regarding e-tendering process:-**

1. The interested bidder can download the NIT/bidding document from the website [www.jktenders.gov.in](http://www.jktenders.gov.in) and [www.maavaishnodevi.org](http://www.maavaishnodevi.org).
2. Before starting the bidding process, bidders are advised to carefully read the Instructions, Terms and Conditions mentioned in the bid Document online on e-tendering portal i.e. [www.jktenders.gov.in](http://www.jktenders.gov.in).
3. The bidders, in their own interest, are requested not to wait till the last moment for submission of bid to avoid last minute rush and local problems related to internet connectivity, law and order, strike, closure of establishments etc. The SMVDSB shall not be responsible, if bids could not be uploaded due to such problems at the bidders' end.
4. The bidders must possess valid Digital Signature Certificate (DSC) issued from any agency authorized by Controller of Certifying Authority (CCA), Govt. of India and which can be traced up to the chain of trust to the Root Certificate of CCA. Bidders can get above mentioned digital certificate from any approved vendors.
5. The Bidders, who already possess valid (DSC) Digital Signature Certificates, need not to procure new Digital Signature Certificate.
6. The offer should be submitted (uploaded) strictly as per the terms and conditions and procedures laid down in the website failing which the offer is liable for rejection. Bidders should download the complete e-NIT including the Annexure and read carefully before filling the details and uploading the documents.
7. The offers with any deviations to the e-NIT's Terms and conditions shall be liable for rejection.
8. The Technical Bids shall be opened online.
9. Only Financial Bids of technically qualified bidders shall be opened online.
10. The bidders have to submit their bids online in electronic format with Digital Signature. The bids cannot be uploaded without Digital Signature. No Proposal will be accepted in physical form.
11. Bids will be opened online as per time schedule mentioned in the e-NIT.
12. Before submission of online bids, bidders must ensure that scanned copies of all the necessary documents have been attached with bid.
13. SMVDSB will not be responsible for delay in online submission of bids whatsoever reasons may be.
14. All the required information for bid must be filled and submitted online.
15. The details of cost of documents, EMD specified in the tender documents should be the same, as submitted online (scanned copies) otherwise bid will not be accepted.
16. Bidders are advised to use "My Documents" area in their user on <http://jktenders.gov.in>, e-tendering portal to store important documents like Balance sheet, GST Registration Certificate, Tax Clearance Certificate, IT certificate, Manufactures authorization and other related documents etc., and attach these certificates as Non-Statutory documents while submitting their bids.
17. Bidders are advised not to make any change in BOQ (Bill of Quantities) contents or its name. In no case they should attempt to create similar BOQ manually. The BOQ downloaded should be used for filling the item rate as prescribed and it should be saved with the same as it contains.
18. Bidders are advised to scan their documents at 100 DPI (Dots per Inch) resolutions with Black and White, PDF \ Scan properly.
19. The guidelines for submission of bid online can be downloaded from the website <http://www.jktenders.gov.in> and [www.maavaishnodevi.org](http://www.maavaishnodevi.org).
20. SMVDSB shall not be held responsible for selection criteria/policy matter being adopted by the Directorate of Information regarding publishing the e-NIT, in any of the newspaper under circulation.
21. The tenderer should carefully study the document and prepare his tender with consideration of all provisions of the document. He should fully acquaint himself with site conditions and all other factors which may influence preparation of his tender.

**Sd/-**  
**(Vipan Bhagat) JKAS**  
**Asstt. Chief Executive Officer**



**OFFICE OF THE CHIEF EXECUTIVE OFFICER,  
SHRI MATA VAISHNO DEVI SHRINE BOARD,  
Central Office, Jammu Road, Katra (J&K) – 182301**

**E-mail: aceov@maavaishnodevi.net, purchase\_sec@maavaishnodevi.net**

**Notice Inviting e-Tender**

**e-NIT No. CO/Pur/Elect/627-II/3320**

**Dated: 12.01.2026**

**Subject:** e.Bids are invited from OEMs & / or their authorized distributors/ dealers for **Supply of LED Lights for a period of 03 Months** as per the requirement of SMVDSB.

**1. Requirement:**

e.Bids are invited from OEMs & / or their authorized distributors/ dealers for **Supply of different types LED Lights as per Annexure “ A” of e-NIT for a period of 03 Months** as per the requirement of SMVDSB.

**2. Tender Schedule:**

Date of Publishing of e-NIT	12.01.2026 at 12:30 PM
Download Start Date	12.01.2026 from 01:00PM onwards
Pre-Bid Meeting	<b>16. 01.2026 from 12 Noon onwards</b>
Bid Submission Start Date	17. 01.2026 from 05:00 PM onwards
Bid Submission End Date (Online)	27. 01.2026 at 03:00PM
Date of Opening of Technical Bid Online)	28.01.2026 at 03:00 PM or any convenient date and time of the committee.
Date of Opening of Financial Bid (Online)	Shall be intimated to the technically qualified bidders.

- In case of holiday the bids will be opened on the next working day. Further the price bids of only those tenderers shall be opened who qualify for the same after scrutiny of the documents in technical stage which shall be notified separately.
- The e-NIT is also available on SMVDSB website **www.maavaishnodevi.net** for reference only.
- SMVDSB will not be responsible for any delay in online submission of the bid due to any reason (Technical or otherwise).
- Bidders must ensure to upload scanned copies of all necessary documents i.e., PAN, GSTIN, Tender Fee, EMD (CDR/FDR), Registration, Authorized Distributor / Dealer Certificate, Income Tax Returns, BIS / IS Certificate and other relevant document mentioned in the e.NIT.

**3. Procedure for Submission of Tender:**

Bidders are required to submit Bids in two parts viz. Technical Bid (**Annexure-‘A’**) and Financial Bid (**refers to BoQ Online only**) as per enclosed proforma (**Annexure-B**) along with supporting documents, tender Fee, EMD etc. The Tenderers are required to submit their tenders under 2 bid system.

**A. Cover-I (Technical Bid)**

**(This cover shall contain): -**

- (i) **Annexure-‘A’** form duly filled along with relevant documentary proofs.
- (ii) Scanned copies of EMD in shape of CDR / FDR pledged to FA/ Chief Accounts Officer, SMVDSB. Besides, the EMD in original shall be submitted along-with the hardcopy of technical bid document.
- (iii) Tender Fee to be deposited in the official account of Shri Mata Vaishno Devi Shrine Board, Branch J&K Bank Katra in Account No. 0235040500001804, IFSC – JAKA0KATTRA (“0”

Zero). The bidder shall mention UTR No. in the prescribed Technical Bid Form at **Annexure- 'A'**

- (iv) Tender Document containing **Instructions and Terms & Conditions, duly signed** on each leaf by the Tenderer, along with documentary proof wherever required.

**B. Cover II (Price Bid):**

- (i) The bidder shall have to quote rates as per BOQ & has to submit online in the form of BOQ only as per **Annexure-B**.
- (ii) The rates quoted shall be complete in all respect and include all taxes, excise duty, levies, service tax, transit insurance, freight, entry tax at Lakhanpur etc. Nothing extra on any account shall be payable by the SMVD Shrine Board.
- (iii) The price bid should be absolute and unconditional.
- (iv) Conditional bids shall be rejected.
- (v) The price bids of only such bidders shall be opened, who qualify in the technical stage.
- (vi) Price bids not conforming to above standards or suffering from any flaw shall be rejected.

**4. Eligibility Criteria:**

**I. Minimum Qualification Required for Bidding:**

**A. For Original Equipment Manufacturers (OEMs):**

To be eligible, the OEM must:

- a) Be a manufacturer registered in India with a valid manufacturing license for LED Lights.
- b) Have at least 5 years of manufacturing experience in the LED light trade
- c) Have a cumulative sales turnover of not less than ₹500 Crore **in the last 3 financial years up to 2024-25. (Supporting financial documents duly certified by Chartered Accountant with UDIN Number must be enclosed)**
- d) Have a presence in at least 5 States / UTs in India.

**B. For Authorized Distributors/Dealers of eligible OEMs:**

OEMs that meet the above criteria may nominate their authorized distributors or dealers to participate in the bidding, provided the distributors/dealers should have:

- a) Authorized Distributor / Dealer certificate
- b) At least 3 years of experience in a similar trade.
- c) A cumulative turnover of at least ₹2.40 Crore in the last 3 financial years up to 2024-25. **(Supporting financial documents duly certified by Chartered Accountant with UDIN Number must be enclosed)**
- d) Supplied atleast 50% of the quantity mentioned in the e-NIT during last three FYs upto 2024-25, cumulatively (copies of Purchase Orders must be enclosed).

**C. Mandatory Certifications required for participation:**

The bidding brand(s) must hold & submit the following valid certifications:

- a) BIS Certification (as per applicable standards for LED products).
- b) ISO 9001:2015 certification for Quality Management Systems.
- c) LM-79 and LM-80 test reports from NABL (National Accreditation Board for Testing and Calibration Laboratories) accredited labs.
- d) BEE Star Rating (from Bureau of Energy Efficiency).
- e) RoHS Compliance (Restriction of Hazardous Substances).

- II. Bidder must be income tax payee and shall submit attested copies of the Income Tax Returns / Income Tax Assessment Order duly certified by Chartered Accountant with UDIN Number for the last three financial years (2022-23, 2023-24 & 2024-25).
- III. The bidder must have sound financial background and a positive net-worth for the last three financial years (2022-23, 2023-24 & 2024-25). **(Supporting financial documents duly certified by Chartered Accountant with UDIN Number must be enclosed)**
- IV. The bidder must attach / upload an affidavit on stamp paper duly attested by 1<sup>st</sup> Class Magistrate to the effect that:
  - a. The documents catalogue etc. enclosed with the e-tender are genuine and have not been tampered or fabricated.
  - b. The firm has not been blacklisted in the past by any Govt/ Private institution of the country.
  - c. If anything is found incorrect at any stage, the bidder shall be personally responsible for the same.
- V. The bidder must attach / upload the copies of following with bid document:
  - a. All documents related to meeting the minimum eligibility criteria mentioned in Clause 4 (I), (II), (III) & (IV).
  - b. PAN Card
  - c. GST Certificate.
  - d. Income Tax Returns, Balance Sheets, Profit & Loss Account duly certified by Chartered Accountant with UDIN Number for the last three financial years.
  - e. Declaration Certificate: Declaration Certificate that no case is pending with the police / court against the bidder / firm / company / Agency and not been suspended / blacklisted by any PSU / Government Department / Financial Institution / Court etc (as per **Annexure C**).
  - f. No Deviation Certificate: - No Deviation Certificate as per format enclosed at **Annexure – D**.
  - g. Bidders details as per **Annexure-E**
  - h. OEM / their authorized Distributors or Dealer Certificate

**Note: Scanned Copies of all the Technical Bid documents have to be uploaded online without which the offer submitted by the firm shall not be considered.**

#### **5. Rates:-**

- i. The rates quoted shall be inclusive of all taxes / FOR Engineering Store, Banganga Katra and shall remain valid for a period of three (03) months from the date of issuance of Rate Approval Order. Nothing extra on any account shall be payable by the SMVD Shrine Board.
- ii. The Rate Approval Order may be extended for another 03 months subject to satisfactory performance of the Product(s) at the sole discretion of the SMVDSB.
- iii. The Rates should be quoted at the prevailing GST Rate without which the bid shall be rejected.
- iv. The successful bidder shall have to mention the GST No. 01AAETS9822J1ZC of Shri Mata Vaishno Devi Shrine Board Katra while raising their bill of supplies. While filing GSTR-I, the successful bidder shall classify the supply / Service made to Shrine Board under Business (B to B) Sales. The successful bidder shall also mention six digit HSN code of the material to be supplied. In case the successful bidder doesn't upload / mention the bill under B to B, the GST amount levied in the Bill shall not be paid.
- v. The successful bidder shall file GSTR 1 and 3B within the due dates prescribed under the CGST / SGST Act 2017 so as to enable SMVDSB to claim timely input credit. In case of default, interest @2% per-month of tax amount shall be charged and recovered from the defaulting supplier.
- vi. "In case the successful bidder is filling GST returns on quarterly basis they must file the Invoice Furnishing Facility (IFF) on monthly basis for Bills to Shrine Board".
- vii. No escalation in the basic rate of item shall be allowed by SMVDSB during currency of Contract. If the rate of GST is increased/ decreased or a new tax is introduced or an existing tax is abolished or any change in interpretation or application of any tax occurs in the course of performance/evaluation of contract, which was or will be assessed on the bidder in

connection with the performance of the contract, an equitable adjustment of the contract price shall be made to fully take into account any such change by addition to the contract price or deduction there from as the case may be.

#### **6. Selection criteria:**

- i. **Before evaluation of technical bids, the participated bidders are required to submit the samples of the items offered to the Purchase Section, Central Office, Katra on 27.01.2026 positively for inspection / examination by the technical committee of SMVDSB. The technical bids of the only those bidders shall be evaluated, whose samples qualifies the technical parameters / approved specifications setforth in the e-NIT.**
- ii. In the first stage of evaluation of technical bids, offer shall be rejected if found deficient as per the requirements of Tender / Bid Processing Fee and other eligibility criteria. Only bids confirming to the e-NIT conditions shall be further taken up for evaluation. Evaluation of the technical Bids will start first. The bidder qualifying the technical stage shall only be admitted in process of financial bid evaluation.
- iii. Financial bids of technically qualified bidders shall be opened and the rates of the firm(s) shall be considered on L-1 basis against each item(s). In-case of a tie in rates, revised sealed bids can be obtained and the bidder offering lowest rates shall be considered. In-case of tie in second instance, it shall be decided by the process of "draw of lots".
- iv. The firm(s) who emerged as L-1 shall be considered for the allotment of the Rate Approval Contract for a period of 03 months reckoned from the date of its issuance.
- v. The Shrine Board reserve the right to negotiate the quoted rates offered with the L-1 bidder or any of the other bidders on quality basis to ascertain the suitability of the offer for acceptance.

#### **7. Pre-Bid Meeting:**

A pre-bid meeting will be held on **16.01.2026 at 12:00 Noon** at Conference Hall, Spiritual Growth Centre, SMVDSB, Katra. In case, any of the prospective bidder(s) intends to join the pre-bid meeting through online mode, they shall forward their request on the official e-mail ID purchase\_sec@maavaishnodevi.net **by or before 15.01.2026 upto 03:00PM**. Shrine Board reserves the right to modify the terms & conditions of e-NIT after the pre-bid meeting in view of any practical modalities which may emerge during the pre-bid meeting.

#### **8. Security Deposit:**

- a) Before the issuance of Rate Approval Order(s), the successful bidder(s) shall have to furnish **Security Deposit @10%** of the allotted Value in the shape of CDR/FDR valid for a period of minimum 01 year duly pledged to FA/CAO, SMVDSB payable at Katra. The firm may also deposit the Security Deposit amount through NEFT/RTGS in the official A/c of Shri Mata Vaishno Devi Shrine Board, Bank Name: The J&K Bank, Account No. Account No. 0235040500001804, IFSC – JAKA0KATTRA ("0" Zero) and shall be released after the expiry of Rate Approval Order subject to satisfactory performance report / NOC received from Engineering Store, Banganga. The same can be withheld / forfeited, in full, or in part, in case the material is not supplied as per the terms & conditions of the purchase order(s) to be issued during the validity of rate approval order.
- b) The EMD(s) of the successful bidder(s) shall be released after the issuance of rate approval order.

#### **9. DELIVERY PERIOD:**

The successful bidder(s) shall have to deliver the material within 15 days time period from the date of issuance of purchase order(s) to be issued during the validity of rate approval order. The material shall be supplied immediately from ready stock from the date of placement of purchase order. Before participating, the competing firm must ensure that it has the capacity to meet the delivery period criteria. The Shrine Board may or may not extend the delivery period.

#### **10. INSPECTION / LIFTING BACK OF REJECTED SUPPLIES:**

- a) The material shall be inspected / checked by our Inspection Committee on receipt of material at Engg. Store, Banganga and if found inferior quality/defective or not as per testing /

inspection report furnished by third party, the same will be rejected and the Board shall be at liberty to have the same procured from open market at the risk & cost of the supplier whereby the original supplier shall be liable to pay the extra cost, if any, involved in the process. The Competent Authority, however, may accept the replaced material within the delivery period if it conforms to the approved specifications.

- b) The rejected material shall have to be lifted by the supplier at his own risk and cost within a week's time, failing which storage charges @ 2% per day shall be imposed against the supplier for a period of one week. The penalty amount shall get doubled for each subsequent week and the rejected material in the stores shall be at the risk of the firm. Beyond one month the material shall be auctioned and storage charges shall be recovered from the supplier @2% per day. The amount acquired on account of auctioning shall be deposited to SMVDSB Account.

#### **11. PAYMENT:**

- a. No advance payment shall be made
- b. Payment shall be made after the receipt / inspection / acceptance of material against each Purchase Order within a period of 20 days after the issuance of GR by Engineering Store, Banganga.

#### **12. PENALTY:**

Following penalties shall be imposed after delay beyond the stipulated delivery period, subject to acceptance by the Competent authority of SMVDSB:-

- a) upto 7 days @ 0.5%
- b) From 8<sup>th</sup> day to 15<sup>th</sup> day @ 1%
- c) From 16<sup>th</sup> day to 22<sup>nd</sup> day @ 1.5% and
- d) From 23<sup>rd</sup> day to 30<sup>th</sup> day @ 2% shall be imposed on each pending item as per the approved rate/quantity mention in the purchase order of the value of the pending supplies.
- e) In case of incomplete supply received, an amount equal to 2% of the total value of non-supplied material shall be deducted from the due payment of the supplier.

#### **13. General Terms & Conditions:**

- i) All the pages of the Tender Document and other supported documents which are to be submitted in physical form should be numbered (Technical bid) and signed by the tenderer / authorized signatory of the company / firm conforming the acceptance of the Terms and Conditions as laid down in the e-NIT document.
- ii) The tenderer shall not be entitled to revoke or withdraw their tenders or vary or modify after its submission.
- iii) The tenderers furnishing the EMD for an amount less than the stipulated amount mentioned in the e-NIT or quoting the exemption as Small Scale Industries or any other reason shall not be entertained and the bid submitted shall be out-rightly rejected.
- iv) Conditional, illegible, ambiguous tender(s) received after the stipulated date and time shall be out rightly rejected.
- v) The EMD in respect of un-successful tenderer(s) shall be released after the allotment of the contract to the successful bidder.
- vi) The quantity mentioned in the e-NIT is indicative in nature and can be increased / decreased as per the requirement of SMVDSB.

#### **14. Disqualification basis other than qualifying criteria:-**

Even though the Bidders meet the qualifying criteria, they are liable to be disqualified if they have:

- a) Furnished misleading or false information or deliberately suppressed the information in the forms, statement and enclosures required in the Bid Document and have record of poor performance such as abandoning work, leaving Contract incomplete or financial failures / weaknesses, inordinate delays in completion, litigation history, etc.
- b) Made misleading or false representation in the forms, statements and attachments submitted in proof of the qualification requirements.

- c) Banned by any Central/State Govt. Department/Public Sector Undertakings or Enterprises of Central/State Govt.
- d) Not attached all the supporting documents or not furnished the relevant details as per the prescribed format in the e-NIT.
- e) Submitted any information, which found incorrect at the later stage, the Bidder/ Bidding Firm shall be liable to be debarred from further bidding in SMVDSB, and the Contract shall be cancelled by the competent authority of SMVDSB along with forfeiture of security amount.

**15. Warranty:**

The bidders shall be fully responsible for the **manufacturer's warranty for a period of 02 years** from the date of receipt of item(s) at Engineering Store, SMVDSB, Katra. The successful bidder shall have to provide free replacement of defecting items during the period of warranty of 02 years.

**16. The Shrine Board reserves the right to:**

- i. Reject, accept or prefer any tender in part or full at any stage if not in conformity to the specifications, terms & conditions mentioned in the e-NIT.
- ii. Re-invite the tender at its sole discretion.
- iii. Cancel / terminate the e-NIT / Rate Approval Order / Purchase Order during the period of its validity without assigning any reason thereof.
- iv. Forfeit the EMD / Security Deposit of defaulter firm.
- v. Debarring any defaulter firm from any further dealing with Shrine Board for the period of 03 years.
- vi. Grant of extension with or without imposing penalty, as deemed fit.
- vii. Modify the Terms and Conditions of the e-NIT at any time.

**17. Arbitration:**

In case of any dispute arising between the parties to this e-tender and all matters connected therewith, both parties shall make every effort to resolve it amicably by direct informal negotiation. If, even after thirty days from the commencement of informal negotiation, the parties have not been able to resolve the dispute amicably, then such disputes / differences shall be resolved by Arbitration as per the Arbitration and Conciliation Act, 1996.

- a) Either party may request other of its intention that a dispute be submitted to Arbitration and both the parties shall meet within 15 days from the date of receipt of such request, to select a sole arbitrator mutually for the resolution of dispute and venue / seat of Arbitration shall be at Jammu /Katra / Reasi.
- b) In the event that the parties cannot agree upon the selection of the sole Arbitrator, either party or both of the parties may move an application before the Hon'ble High Court at Jammu, under the Arbitration and Conciliation Act, 1996, for the appointment of sole Arbitration with seat / venue at Jammu for the resolution of disputes between the parties. However, on failure of resolution of disputes through procedure elaborated above, the Courts at Katra / Reasi alone, shall have the Jurisdiction with respect to subject matter of this e-NIT.

**18. Force Majeure:** Any failure or omission to carry out the provisions of the order shall not give rise to any claim by one party against the other, if such failure or omission arises from an "Act of God" which shall include all acts of Natural Calamities such as fire, flood, earthquakes, hurricanes or any pestilences or from civil strikes, compliances with any statute or regulations of the Government lock outs and strikes, riots, embargoes or from any other reasons beyond the control of the parties including the war (Whether declared or not) Civil War or State of Insurrection.

**19. Jurisdiction:**

All the disputes are subject to Jurisdiction in the Court of Law at Reasi / Katra / Jammu.

**Sd/-**  
**(Vipan Bhagat) JKAS**  
**Asstt. Chief Executive Officer**



OFFICE OF THE CHIEF EXECUTIVE OFFICER,  
SHRI MATA VAISHNO DEVI SHRINE BOARD,

Central Office, Jammu Road, Katra (J&K) – 182301

-mail: aceovb@maavaishnodevi.net, purchase\_sec@maavaishnodevi.net

**Annexure – A**

**Technical Bid**

**Pre- Qualification Application Format for Supply of LED Lights**

S. No	Particulars	Attached / Uploaded
1	Name of the Company / Bidder with complete postal address and contact number, e-mail etc.	
2	Copy of Registration	
3	Copy of Manufacturing license & / or their authorized Distributor / Dealer Certificate	
4	a) BIS Certifications (as per applicable standards for LED products). b) ISO 9001:2015 certification for Quality Management Systems. c) LM-79 and LM-80 test reports from NABL (National Accreditation Board for Testing and Calibration Laboratories) accredited labs. d) BEE Star Rating (from Bureau of Energy Efficiency). e) RoHS Compliance (Restriction of Hazardous Substances).	
5	Five years experience in the field of Manufacturing of LED Lights (in case of OEMs) / three years experience in the trade for supply of LED Lights (in case of authorized distributors / dealers). <b>(supporting documents to be attached/uploaded)</b>	
6	Copies of PAN & GST	
7	Annual turnover of the bidder during last three financial years: a. 2022-23 b. 2023-24 c. 2024-25	
8	Networth of the bidder during last three financial years: a. 2022-23 b. 2023-24 c. 2024-25	
9	Affidavit on stamp paper duly attested by 1st Class Magistrate to the effect that:  a. The documents catalogue etc. enclosed with the e-tender are genuine and have not been tampered or fabricated. b. The firm has not been blacklisted in the past by any Govt/ Private institution of the country. c. If anything is found incorrect at any stage, the bidder shall be personally responsible for the same.	

10	Copies of Income Tax Return, Balance Sheet, Profit & Loss Account for the last three financial years. a. 2022-23 b. 2023-24 c. 2024-25	
11	Declaration Certificate that no case is pending with the police / court against the bidder / firm / company /Agency and not been suspended / blacklisted by any PSU / Government Department / Financial Institution / Court etc (as per <b>Annexure C</b> ).	
12	No Deviation Certificate as per format enclosed at <b>Annexure – D</b> .	
13	Detailed Technical Specifications of the LED Lights to be offered must be attached/ uploaded.	
14	Name of Authorized contact person with Address and Phone number, e-mail etc.	

**\*The bidder may attach/ upload additional documents, if any, relevant to the e-NIT**

Signature\_\_\_\_\_

Name of Tenderer\_\_\_\_\_

Contact No. \_\_\_\_\_



**Annexure – B**

**UN-PRICE BID**

To,  
**The Chief Executive Officer,**  
Shri Mata Vaishno Devi Shrine Board,  
Central Office, Katra.

**Subject: e-NIT for seeking rates for Supply of LED Lights for a period of 03 months.**

**Ref. No: e-NIT No: CO/Pur/Electric/627-II/3320 Dated: 12.01.2026**

**Tender Fee detail: \_\_\_\_\_,**

**EMD detail : \_\_\_\_\_**

**Dear Sir,**

I, \_\_\_\_\_ representative / proprietor of M/s \_\_\_\_\_ hereby submit the offer for Supply of LED Lights as per requisite specifications / UOM requirement of Shrine Board for period of one year.

The offered rates are NET inclusive of GST and other taxes F.O.R Engineering Store, Banganga, Katra are as under:

S. No.	Description of material	Qty. (in No.)	Net rate per Unit inclusive of all Taxes and F.O.R. Engg. Store, Katra	Total Amount
1	10W to 12W LED Integrated Batten 2 feet (as per specifications mentioned at S. No. 1 of Annexure – “F”)	750		
2	18W to 20W LED Integrated Batten 4 feet (as per specifications mentioned at S. No. 2 of Annexure – “F”)	1300		
3	12W LED Circular Ceiling Light Surface Mounted (as per specifications mentioned at S. No. 3 of Annexure – “F”)	750		
4	12 -20W LED Recess Ceiling Light (as per specifications mentioned at S. No. 4 of Annexure – “F”)	170		
5	8/9W LED Circular Ceiling Light Recessed Mounted (Concealed) (as per specifications mentioned at S. No. 5 of Annexure – “F”)	300		
6	5/6W LED Circular Ceiling Light Recessed Mounted (Concealed), (as per specifications mentioned at S. No. 6 of Annexure – “F”)	200		
7	36W LED 2 Feet X 2 Feet Recessed Mounted (as per specifications mentioned at S. No. 7 of Annexure – “F”)	100		

8	36W LED 2 Feet X 2 Feet Recessed Mounted, ( <b>Warm White</b> ) (as per specifications mentioned at S. No. 8 of Annexure – “F”)	30		
9	36W LED 2 Feet X 2 Feet Surface Mounted (as per specifications mentioned at S. No. 9 of Annexure – “F”)	100		
10	LED Lamp 9 W - 10 W, (as per specifications mentioned at S. No. 10 of Annexure – “F”)	100		
11	LED Lamp 15W to 17W (as per specifications mentioned at S. No. 11 of Annexure – “F”)	1000		
12	LED Lamp 5W to 7W (as per specifications mentioned at S. No. 12 of Annexure – “F”)	1000		
13	70W to 72W LED Street Light (as per specifications mentioned at S. No. 13 of Annexure – “F”)	600		
14	60/70W LED Flood Light (as per specifications mentioned at S. No. 14 of Annexure – “F”)	90		
15	140W to 150W LED Flood Light, (as per specifications mentioned at S. No. 15 of Annexure – “F”)	150		
16	10W to 12W LED Circular Ceiling Light Recessed Mounted (as per specifications mentioned at S. No. 16 of Annexure – “F”)	100		
17	18W to 20W LED Circular Ceiling Light Recessed Mounted (as per specifications mentioned at S. No. 17 of Annexure – “F”)	100		

I further affirm that I have read and fully understood the tender notice and agree to abide by all terms and conditions laid in the e.NIT, which are being signed in token of my acceptance. In case, I fail to abide-by the conditions or to carry on the contract to the entire satisfaction of the Shrine Board. I will be liable to the penalties under rules mentioned in the terms and conditions.

Signature \_\_\_\_\_

M/s \_\_\_\_\_

Contact Person \_\_\_\_\_

Mobile No. \_\_\_\_\_

E-mail \_\_\_\_\_

**(ON THE LETTER HEAD OF THE FIRM)**

**DECLARATION**

I / We hereby declare that no case is pending with the police / court against the bidder / firm / company (Agency). Also, I / We have not been suspended / blacklisted by any PSU / Government Department / Financial Institution / Court etc.

**Seal and Signature of the bidder**

Place:

Date:

**(ON THE LETTER HEAD OF THE FIRM)**

**Ref. No: CO/Pur/Elect/627-II/3320**

**Dated: 12.01.2026**

**NO DEVIATION CERTIFICATE**

Notwithstanding anything mentioned in our bid, we hereby accept all the terms and conditions mentioned in the e.NIT. We hereby undertake and confirm that we have understood the specifications properly and shall supply the material as mentioned in the e-NIT.

**Seal and Signature of the bidder**

Place:

Date:

**(ON THE LETTER HEAD OF THE FIRM)**

**BIDDER'S DETAIL**

Name of the Supplier / Party / Firm	
Name of the Authorized Representative	
Mailing Address:	
Phone/Landline No	
Mobile No.	
Fax No.	
E-mail Address	
Website Address (if any)	
Bank details for payment through NEFT / RTGS	Name of the Bank:
	Branch
	Account No
	IFSC Code
	MICR No

**Note:** Submit a cancelled cheque for verification of above bank details.

**Seal and Signature of the bidder**

Place:

Date:

S.No.	Description / Specifications of LED Lights
1	<p>10W to 12W LED Integrated Batten 2 feet, made of extruded aluminium having front cover made of polycarbonate/polystyrene. The luminaire shall be IP20 &amp; IK02 compliant. LED used shall have life of 50000Hrs @ L70B50, CCT of 6500°K/4000°K, SDCM≤5 &amp; CRI≥80. The luminaire driver shall comply to following parameters at 220V to 240V: PF≥0.90 (@full load), THD ≤ 30% (@full load) &amp; in-built surge protection of 2.5KV. The luminaire shall emit minimum initial system lumen output of 1000lumens with system efficacy of minimum 100lm/w. The input voltage range shall be 140V to 270V. Luminaire manufacturer must have In-house NABL accredited lab to conduct LM79, Type test as per IS10322, "FAT" before dispatch as per IS 10322 &amp; IK Test. The successful bidder must submit the NABL accreditation certificate for Luminaire manufacturer before supply of material. The LED Luminaire should be BIS registered. Successful bidder shall submit the following reports issued by NABL accredited lab before supply of material for approvals: LM79, Type Test report for luminaire, surge protection test report. The Successful bidder shall also submit the LM80 report issued by LED manufacturer, BIS certificate for LED Luminaire before supply for approvals. Warranty : Minimum - 2Years</p>
2	<p>18W to 20W LED Integrated Batten 4 feet, made of extruded aluminium having front cover made of polycarbonate/polystyrene. The luminaire shall be IP40 &amp; IK02 compliant. LED used shall have life of 50000Hrs @ L70B50, CCT of 6500°K, SDCM≤5 &amp; CRI≥80. The luminaire driver shall comply to following parameters at 220V to 240V: PF≥0.90 (@full load), THD ≤ 10% (@full load) &amp; in-built surge protection of 2.5KV. The luminaire shall emit minimum initial system lumen output of 2000lumens with system efficacy of minimum 120lm/w. The input voltage range shall be 140V to 270V. Luminaire manufacturer must have In-house NABL accredited lab to conduct LM79, Type test as per IS10322, "FAT" before dispatch as per IS 10322 &amp; IK Test. The successful bidder must submit the NABL accreditation certificate for Luminaire manufacturer before supply of material. The LED Luminaire should be BIS registered. Successful bidder shall submit the following reports issued by NABL accredited lab before supply of material for approvals: LM79, Type Test report for luminaire, surge protection test report. The Successful bidder shall also submit the LM80 report issued by LED manufacturer, BIS certificate for LED Luminaire before supply for approvals. Warranty : Minimum - 2Years</p>
3	<p>12W LED Circular Ceiling Light Surface Mounted, having dia of 130mm &amp; height of 60mm delivering minimum system lumen output of 1000 lumens and system wattage of 12 W &amp; with a minimum system efficacy of 100 lm/W. The luminaire should have a colour temperature of 6500°K, CRI≥80 and SDCM≤5. The down lighter shall be back-lit &amp; not side-lit. The driver shall have THD≤10% (@full Load) and PF ≥ 0.95 (@full load). The luminaire housing should made of pressure die-cast aluminium. The fixture should comply with the parameters as per IS10322. The luminaire shall have impact resistance of IK02 &amp; ingress protection of IP20. Luminaire manufacturer must have In-house NABL accredited lab to conduct LM79, Type test as per IS10322, "FAT" before dispatch as per IS 10322 &amp; IK Test. The successful bidder must submit the NABL accreditation certificate for Luminaire manufacturer before supply of material. The LED Luminaire should be BIS registered. Successful bidder shall submit the following reports before supply of material for approvals: LM79 issued by NABL accredited lab, LM80 issued by LED manufacturer, Type Test Certificate for luminaire as issued by NABL accredited lab &amp; BIS certificate for LED Luminaire &amp; Driver.. Warranty Minimum - 2 Years</p>

4	<p>12 -20W LED Recess Ceiling Light, made of pressure die cast aluminum housing. Fixture should have minimum efficacy at System level (Not Chip Level) <math>\geq 110</math> lumens/watt with Minimum system Lumens 1550 with maximum system wattage of 12-20W. The downlighter shall be mandatorily back-lit &amp; not side-lit. LED used shall have life of 50000Hrs @ L70B50, CCT of 6500°K, SDCM<math>\leq 5</math> &amp; CRI<math>\geq 80</math>. The luminaire driver shall comply to following parameters at 220V to 240V: PF<math>\geq 0.95</math> (@full load), THD <math>\leq 10\%</math> (@full load) &amp; in-built surge protection of 3KV (DM mode). The input voltage range shall be 120V to 320V. The fixture should comply with the parameters as per IS10322. The luminaire shall have class B serviceability. The luminaire height shall be minimum 40MM, with minimum cut-out dia of 150mm &amp; the lip shall be minimum 8mm. The luminaire shall be IK02 compliant. The luminaire driver shall be of the same make/manufacturer as that of LED luminaires. Luminaire manufacturer must have In-house NABL accredited lab to conduct LM79, Type test as per IS10322, "FAT" before dispatch as per IS 10322 &amp; IK Test. The successful bidder must submit the NABL accreditation certificate for Luminaire manufacturer before supply of material. The LED Luminaire &amp; it's driver both should be BIS registered. Successful bidder shall submit the following reports before supply of material for approvals: LM79 issued by NABL accredited lab, LM80 issued by LED manufacturer, Type Test Certificate for luminaire as issued by NABL accredited lab, BIS certificate for LED Luminaire &amp; Driver., IP20.</p> <p>Warranty Minimum - 2 Years</p>
5	<p>8/9W LED Circular Ceiling Light Recessed Mounted(Concealed), Pressure Die Cast Aluminum Housing Only, System Lumen Output <math>\geq 100-120</math>lm/W, CCT: 6500°K, CRI<math>\geq 80</math>, SDCM<math>\leq 5</math>, THD<math>\leq 10\%</math>, Surge 2.5KV, PF<math>\geq 0.90</math>, IP20.</p> <p>Warranty Minimum - 2 Years</p>
6	<p>5/6W LED Circular Ceiling Light Recessed Mounted (Concealed), Pressure Die Cast Aluminum Housing Only, System Lumen Output <math>\geq 100-120</math>lm/W, CCT: 6500°K, CRI<math>\geq 80</math>, SDCM<math>\leq 5</math>, THD<math>\leq 10\%</math>, Surge 2.5KV, PF<math>\geq 0.90</math>, IP20. Warranty Minimum - 2 Years</p>
7	<p>36W LED 2 Feet X 2 Feet Recessed Mounted, having housing made of CRCA only with front diffuser made of polycarbonate/polystyrene. The luminaire shall be IP20 &amp; IK02 compliant. The luminaire shall be mandatorily back-lit &amp; not side-lit. LED used shall have life of 50000Hrs @ L70B50, CCT of 6500°K/4000°K, SDCM<math>\leq 5</math> &amp; CRI<math>\geq 80</math>. The luminaire driver shall comply to following parameters at 220V to 240V: PF<math>\geq 0.95</math> (@full load), THD <math>\leq 5\%</math> (@full load), current ripple<math>\leq 5\%</math>, EMI/EMC complaint &amp; in-built surge protection of 4KV. The driver shall mandatorily be housed in metal casing &amp; not plastic casing. The luminaire shall emit minimum initial system lumen output of 3600lumens with system efficacy of minimum 120lm/w. The input voltage range shall be 140V to 270V. The luminaire driver shall be of the same make/manufacturer as that of LED luminaires. Luminaire manufacturer must have In-house NABL accredited lab to conduct LM79, Type test as per IS10322, "FAT" before dispatch as per IS 10322 &amp; IK Test. The successful bidder must submit the NABL accreditation certificate for Luminaire manufacturer before supply of material. The LED Luminaire &amp; it's driver both should be BIS registered. Successful bidder shall submit the following reports issued by NABL accredited lab before supply of material for approvals: LM79, Type Test report for luminaire, EMI/ EMC compliance test report, surge protection test report &amp; current ripple test report. The bidder shall also submit the LM80 report issued by LED manufacturer, BIS certificate for LED Luminaire &amp; Driver. Warranty Minimum - 2 Years</p>
8	<p>36W LED 2 Feet X 2 Feet Recessed Mounted, (<b>Warm White</b>) System Lumen Output:<math>\geq 100-120</math>lm/W, CCT: 3000°K, CRI<math>\geq 80</math>, THD<math>\leq 30\%</math>, Surge 2.5KV, PF<math>\geq 0.90</math>, IP20. Warranty Minimum - 2 Years</p>

9	<p>36W LED 2 Feet X 2 Feet Surface Mounted, having housing made of CRCA only with front diffuser made of polycarbonate/polystyrene. The luminaire shall be IP20 &amp; IK02 compliant. The luminaire shall be mandatorily back-lit &amp; not side-lit. LED used shall have life of 50000Hrs @ L70B50, CCT of 6500°K/4000°K, SDCM≤5 &amp; CRI≥80. The luminaire driver shall comply to following parameters at 220V to 240V: PF≥0.95 (@full load), THD ≤ 5% (@full load), current ripple≤ 5%, EMI/EMC complaint &amp; in-built surge protection of 4KV. The driver shall mandatorily be housed in metal casing &amp; not plastic casing. The luminaire shall emit minimum initial system lumen output of 3600lumens with system efficacy of minimum 140lm/w. The input voltage range shall be 140V to 270V.The luminaire driver shall be of the same make/manufacturer as that of LED luminaires. Luminaire manufacturer must have In-house NABL accredited lab to conduct LM79, Type test as per IS10322, "FAT" before dispatch as per IS 10322 &amp; IK Test. The successful bidder must submit the NABL accreditation certificate for Luminaire manufacturer before supply of material. The LED Luminaire &amp; it's driver both should be BIS registered. Successful bidder shall submit the following reports issued by NABL accredited lab before supply of material for approvals: LM79, Type Test report for luminaire, EMI/ EMC compliance test report, surge protection test report &amp; current ripple test report. The bidder shall also submit the LM80 report issued by LED manufacturer, BIS certificate for LED Luminaire &amp; Driver. Warranty Minimum - 2 Years</p>
10	<p>LED Lamp 9W to 10W, System Lumen Output ≥ 80-100lm/w, CCT: 6500°K, CRI ≥ 80, Warranty: Minimum 2 Years.</p>
11	<p>LED Lamp 15W to 17W, System Lumen Output ≥ 80-100lm/w, CCT: 6500°K, CRI ≥ 80, Warranty: Minimum 2 Years.</p>
12	<p>LED Lamp 5W to 7W, System Lumen Output ≥ 80-100lm/w, CCT: 6500°K, CRI ≥ 80, Warranty: Minimum 2 Years.</p>
13	<p>70W to 72W LED Street Light, The luminaire shall have dusk to dawn feature (Auto switch on &amp; off) basis longitude &amp; latitude (Digital on-off control, No electromechanical components like relays or sensors will be allowed). The luminaire should have minimum system efficacy of 140 lumen/watt for the measured lumen output or system wattage. The LED used shall have CCT of 5700K, SDCM ≤5 and CRI≥70. The housing should be made of LM6/ADC12 Alloy, non-corrosive Single Piece pressure die-cast aluminum, to withstand extreme environments. The spigot shall be part of "Single Piece Pressure Die-cast housing" &amp; shall not be bolted/welded/mechanically joined to the luminaire housing to ensure robust design. The luminaire shall have Integrated IP66 polycarbonate front cover/lens. The name of the brand should be embossed/engraved &amp; should not be mentioned using sticker/screen printing. The luminaire LED shall have declared Lifetime of 75K hours@L70. Product should be designed for continuous operation (10-12 Hrs. per day). The Ingress protection should be minimum IP66 &amp; impact resistance shall be IK10. The Luminaire should have a minimum 10 KV/5KA SPD duly bolted in the Luminaire. The SPD should be able to sustain a minimum 15 hits of 5KA rating i.e. Total of 45 hits across all the three modes as per IEEE 62.41.2. The luminaire should be of Class B Serviceability. The LED used in the luminaire shall be SMD type only &amp; shall be from either Lumileds, Osram, Nichia, Signify, APT Electronics Co. Ltd., CREE make or equivalent. The Driver should be asphalt potted &amp; should be a BIS approved driver. The driver shall be replaceable. The driver shall have operating voltage of 120V to 270V, PF≥0.95 @full load, THD ≤10% @ full load, In-built surge protection of 4KV. The driver should be capable of withstand voltage stress of 440V for 8 Hrs., should have an auto shutdown/cut-off at less than ≤ 100V (±15V) with Auto-Restart at 110V (±15V) &amp; 325V(±15V) with auto recovery feature. The driver shall comply to IEC61547 &amp; IEC 61000-3-2. The driver shall be EMI/EMC Complied as per EN55015/CISPR15. The luminaire shall be able to give Constant Light output (CLO) between voltage range of 140V to 277V. Luminaire manufacturer must have In-house NABL accredited lab to</p>

	<p>conduct LM79 as per 2019 standard, Type test as per IS10322, "FAT" before dispatch as per IS 10322 &amp; IK Test. The successful bidder must submit the NABL accreditation certificate for Luminaire manufacturer within 15 days of award of LOI. The LED Luminaire &amp; it's driver both should be BIS registered. Successful bidder shall submit the following reports before supply of material for approval: LM79 as per 2019 standard issued by NABL accredited lab, LM80 issued by LED manufacturer, Type Test Certificate for luminaire as issued by NABL accredited lab, IK Test report for luminaire as issued by NABL accredited lab, BIS certificate for LED Luminaire &amp; Driver. Warranty Minimum - 2 Years</p>
14	<p>60/70W LED Flood Light, Pressure Die Cast Aluminum Housing Only, System Lumen Output:≥ 120lm/W, CCT: 5700-6500°K, CRI≥ 80, THD≤10%, Surge 4KV, PF≥0.95, IP66, Warranty Minimum - 2 Years</p>
15	<p>140W to 150W LED Flood Light, Pressure Die Cast Aluminum Housing Only, System Lumen Output:≥ 120lm/W, CCT: 5700=6500°K, CRI≥ 80, SDCM≤5, THD≤10%, Surge 4KV, PF≥0.90, IP66. Warranty Minimum - 2 Years</p>
16	<p>10W to 12W LED Circular Ceiling Light Recessed Mounted, having dia of 130mm &amp; height of 60mm delivering minimum system lumen output of 1000 lumens and system wattage of 10W &amp; with a minimum system efficacy of 100 lm/W. The luminaire should have a colour temperature of 6500°K, CRI≥80 and SDCM≤5. The downlighter shall be back-lit &amp; not side-lit. The driver shall have THD≤10% (@full Load) and PF ≥ 0.95 (@full load). The luminaire housing should made of pressure die-cast aluminium. The fixture should comply with the parameters as per IS10322. The luminaire shall have impact resistance of IK02 &amp; ingress protection of IP20. Luminaire manufacturer must have In-house NABL accredited lab to conduct LM79, Type test as per IS10322, "FAT" before dispatch as per IS 10322 &amp; IK Test. The successful bidder must submit the NABL accreditation certificate for Luminaire manufacturer before supply of material. The LED Luminaire should be BIS registered. Successful bidder shall submit the following reports before supply of material for approvals: LM79 issued by NABL accredited lab, LM80 issued by LED manufacturer, Type Test Certificate for luminaire as issued by NABL accredited lab &amp; BIS certificate for LED Luminaire &amp; Drive Warranty Minimum - 2 Years</p>
17	<p>18W to 20W LED Circular Ceiling Light Recessed Mounted, made of pressure die cast aluminum housing. Fixture should have minimum efficacy at System level (Not Chip Level) ≥110 lumens/watt with Minimum system Lumens 2150 with maximum system wattage of 19.5W. The downlighter shall be mandatorily back-lit &amp; not side-lit. LED used shall have life of 50000Hrs @ L70B50, CCT of 6500°K, SDCM≤5 &amp; CRI≥80. The luminaire driver shall comply to following parameters at 220V to 240V: PF≥0.95 (@full load), THD ≤ 10% (@full load) &amp; in-built surge protection of 3KV (DM mode). The input voltage range shall be 120V to 320V. The fixture should comply with the parameters as per IS10322. The luminaire shall have class B serviceability. The luminaire height shall be minimum 40MM, with minimum cut-out dia of 150mm &amp; the lip shall be minimum 8mm. The luminaire shall be IK02 compliant. The luminaire driver shall be of the same make/manufacturer as that of LED luminaires. Luminaire manufacturer must have In-house NABL accredited lab to conduct LM79, Type test as per IS10322, "FAT" before dispatch as per IS 10322 &amp; IK Test. The successful bidder must submit the NABL accreditation certificate for Luminaire manufacturer before supply of material. The LED Luminaire &amp; it's driver both should be BIS registered. Successful bidder shall submit the following reports before supply of material for approvals: LM79 issued by NABL accredited lab, LM80 issued by LED manufacturer, Type Test Certificate for luminaire as issued by NABL accredited lab, BIS certificate for LED Luminaire &amp; Driver.. Warranty Minimum - 2 Years</p>