



Office of the Chief Executive Officer Shri Mata Vaishno Devi Shrine Board,

Central Office, Jammu Road, Katra (J&K – UT) - 182301

No. CO/Pur/Electronics/26/521/15

Dated: 04.04.2026

Request for Inviting Quotations (RFIQ)

For and on behalf of Shri Mata Vaishno Devi Shrine Board; through Chief Executive Officer (herein after referred as SMVDSB), offers are hereby invited from reputed manufacturers / distributors / dealers / suppliers only for furnishing the rates for SITC of CCTVs and allied accessories as per specifications, Brand and Make mentioned in **Annexure-“A”**:

Terms and conditions:

1. **Document to be submitted:**

- i) GST Certificate.
- ii) Data Sheets in respect of Camera, NVR and Switch are required to be enclosed.
- iii) Copy of the RFIQ document, duly signed and stamped on each page by the participating bidder, confirming acceptance of all the contents, terms and conditions contained therein.
- iv) Certification w.r.t. authorized manufacturer / distributor / dealer, (if any).

2. **Last date for submission of sealed quotation:**

By or before **11.04.2026 upto 02:00PM** at Central Office, Katra through Speed Post / Registered Post / reputed courier / by hand.

3. **Validity:** The validity of quotation should be 20 days from the last date prescribed for submission.

4. It shall be noted that the live feed from the CCTV cameras to be installed at ES, Banganga and Sport complex the locations should be made accessible at the Integrated Control Command Centre (ICCC) located at SGC.

5. Quantity mentioned in RFIQ is indicative and can be increased or decreased as per requirement.

6. **Rate**

- i) The rates should be NET inclusive of GST, loading, unloading, labour charges, toll tax, freight and other taxes / charges / F.O.R. Engineering Store, Banganga.
- ii) The CCTVs and allied accessories shall be installed at the locations mentioned in Annexure – A.
- iii) The successful firm shall supply / deposit the material at Engineering Store for inspection. Thereafter the CCTVs and allied accessories shall be installed at the locations mentioned in Annexure – A.
- iv) The participating firms are advised to quote rate for each site separately (inclusive of all) (Rates excluding GST and Ex-Shop shall not be considered even after opening of the quotation).

➤ Any unused material/equipment, as detailed in Annexure–A, shall be handed over to the concerned unit for further utilization under proper challan, with due intimation to the IT Section.

7. **Delivery:** The SITC shall be completed within a period of **20** days from the date of issuance of respective Order. Before participating, the competing firm must ensure that it has the capacity to meet the delivery period criteria. The Shrine Board may or may not extend the delivery period.

8. **Earnest Money Deposit:**

- a. The participating firm shall have to furnish the EMD in the shape of CDR/FDR amounting to **Rs. 4,000/- (Rupees Four Thousand only)** pledged to FA/CAO, SMVDSB payable at Katra alongwith the offer. The participating firms may also deposit the EMD amount through NEFT/RTGS in the official A/c of Shri Mata Vaishno Devi Shrine Board, Bank Name: The J&K Bank, Account No. Account No. 0235040500001804, IFSC – JAKA0KATTRA (“0” Zero). EMD in the shape of Demand Draft shall not be accepted. **Also, no exemption for non submission of EMD is allowed.**
- b. It shall be noted that if any bidder did not enclose EMD (in original) of stipulated amount or furnish CDR/FDR of an amount less than the stipulated amount as mentioned, the bid/offer submitted by the firm shall be rejected outrightly and the rates of the said firm shall not be considered even after opening.

- c. EMD will be released after completion of successful delivery of items. The same can be withheld / forfeited, in full, or in part, in case the supply order is not executed satisfactorily, within the stipulated period.
 - d. The EMD of the successful bidder shall be retained as Security Deposit which shall be released after the expiry of warranty period, subject to receipt of satisfactory performance report from the concerned Unit Heads and IT Section.
 - e. The EMD of the unsuccessful bidder shall be released after issuance of work order in favour
9. The conditional, illegible, ambiguous quotation (s) and quotation (s) received after the stipulated date and time shall be out rightly rejected.
10. The material to be supplied strictly should be from the brands / makes / specifications mentioned in the RFIQ. No change in the Brand / Make shall be accepted. Any change in the Brand / Make shall outrightly be rejected. Kindly note that the ISI is not a brand / make of the product.
11. The rate of the successful firm(s) shall be considered on an L-1 basis separately for each site(s).
12. **INSPECTION / LIFTING BACK OF REJECTED SUPPLIES:**
- a. On receipt, the material shall be inspected / checked by our Inspection Committee and if found of inferior quality/defective, the same will be rejected and the Board shall be at liberty to have the same procured from open market at the risk & cost of the supplier whereby the original supplier shall be liable to pay the extra cost, if any, involved in the process. The Competent Authority, however, may accept the replaced material within the delivery period if it conforms to the approved specifications.
 - b. The rejected material shall have to be lifted by the supplier at his own risk and cost within a week's time, falling which storage charges @ 2% per day shall be imposed against the supplier for a period of one week. The penalty amount shall get doubled for each subsequent week and the rejected material in the stores shall be at the risk of the firm. Beyond one month the material shall be auctioned and storage charges shall be recovered from the supplier @2% per day. The amount acquired on account of auctioning shall be deposited to SMVDSB Account.
13. **Penalty:** Following penalties (calculated on the value of unsupplied material) shall be imposed for delay beyond the prescribed delivery/installation period, unless exempted by the competent authority for valid reasons to be brought on record.
- a) upto 7 days @ 0.5%
 - b) From 8th day to 15th day @ 1%
 - c) From 16th day to 22nd day @ 1.5% and
 - d) From 23rd day to 30th day @ 2% shall be imposed on each pending item as per the approved rate/quantity mention in the purchase order of the value of the pending supplies.
 - e) After 30 days of delay, the rate approval order / purchase order shall be deemed to have been cancelled to the extent of unsupplied material and the material shall be procured from alternative sources at risk and cost of vendor.
- Note:** Despite cancellation of Purchase Order as stated above; for any valid reason to be brought on record, the Competent Authority may grant extension in the stipulated delivery period; with or without penalty. (Amount to be decided by the Competent Authority).
14. **Force Majeure:**
Any failure or omission to carry out the provisions of the order shall not give rise to any claim by one party against the other, if such failure or omission arises from an "Act of God" which shall include all acts of Natural Calamities such as fire, flood, earthquakes, hurricanes, pandemics or any pestilences or from civil strikes, compliances with any statute or regulations of the Government lock outs and strikes, riots, embargoes or from any other reasons beyond the control of the parties.
15. All disputes arising hereto are subject to Jurisdiction of the Courts of Law at Katra / Reasi.
16. **Payment:**
- a) No Advance payment shall be made.
 - b) 90% payment shall be released after the successful installation and commissioning of work i.e. supply/installation/testing/commissioning (SITC) of CCTV Cameras and its allied accessories. subject to satisfactory report received from I/c IT Wing. SMVDSB.

- c) Balance 10% payment shall be released after expiry of Warranty period of 01 year subject to satisfactory report received from I/c IT Wing.
17. **Warranty (if any):**
- The successful firm shall provide onsite warranty of atleast 1 year on the applicable items.
 - The warranty shall start from the date of commissioning of CCTVs at Site(s).
 - The successful firm shall be responsible for providing Guarantee / Warranty to SMVDSB on the supplied material. Warranty / Guarantee Certificate shall be furnished at the time of supply of material. The supplier shall be fully responsible for any manufacturing defects and shall provide onsite warranty / guarantee service after sales.
18. **Rights reserved by SMVDSB:** The Competent authority of SMVDB reserves the right:
- To cancel/ terminate the RFIQ / Purchase Order during the period of its validity without assigning any reason thereof.
 - To forfeit the CDR/FDR of defaulter supplier.
 - Debarring any defaulter firm from any further dealing with Shrine Board for a period of three years.
 - Grant of extension with or without imposing penalty, as deemed fit.
 - To visit the premises of the bidder to verify the production capacity of the bidder / quality of products.
 - The Board reserves the right to establish reasonability of rates, to negotiate with the L-1 bidder for each item or to bifurcate the Rate Approval / Purchase Order amongst more than one bidder (on L-1/negotiated rates).
19. This is just a RFIQ and not a Purchase Order.
20. The broad terms and conditions have been included. However, other standard terms and conditions of supply may be incorporated in the Rate Approval Order / Purchase Order to be issued in due course.
21. **PROCEDURE FOR SUBMISSION OF BID:**
The firm shall submit the **Price Bid** on their letter head as per **Annexure "B"**, in a sealed envelope super-scribed "**QUOTATION FOR SITC of CCTVs and allied accessories**" against **RFIQ No. CO/Pur/Electronics/26/521/15** dated: **.04.04.2026** which shall contain all relevant details along with requisite Earnest Money Deposit, if any.
22. All such offers, along with the terms and conditions duly signed, and enveloped as described above, must be submitted in person in the office of the SMVDSB, Katra by 02:00 PM (1400 hrs) on **11.04.2026**. Alternatively the sealed offer may be sent by Registered Post /Speed Post/ Courier addressed to the office of the Chief Executive Officer, Central Office, Jammu Road, Katra (J&K) - 182301 so as to reach by 02:00 PM (1400 hrs) on **11.04.2026**. The offer(s) received after the due date and time shall not be considered under any circumstance.
23. The quotations shall be opened by the Committee, at the Office of Chief Executive Officer, SMVDSB, Katra in the presence of the bidders who may choose to be present.
24. The Shrine Board shall not be responsible for any delay in submission of quotation whatsoever. Any conditional offer or offers which are not appropriately sealed as per the format, as explained above, or offers received after the stipulated date and time, shall not be entertained. Any cutting or overwriting in the Documents will also make the bid liable for rejection.

Sd/-
(Vipan Bhagat), JKAS
Asstt. Chief Executive Officer

Seal and Sign. of the firm

(Please read all the contents of the RFIQ before the submission of the quotation)

Annexure – “A” to this office RFIQ No.CO/Pur/Electronics/26/521/15 dated:04.04.2026
Detail of material to be installed at SITE:

a) Approximate material required for Archery Ground, SMVD Sports Complex

S. No.	Description of items	Qty.	Remarks
1	PTZ Camera	1 No.	As per enclosed specifications
2	UTP CAT 6 Cable	100 mtr.	Honeywell / D-Link / Molex
3	HDPE Pipe	100 mtr.	Generic (Heavy Duty)

b) Approximate Material required for VaishnaviDham, Jammu

S. No.	Description of items	Qty.	Remarks
1	IP Dome Camera 2MP	01 No.	As per enclosed specifications
2	IP Bullet Camera 2MP	01 No.	
3	Fibre Optical Cable 4 pair	350 mtr.	Honeywell / D-Link / Molex
4	UTP CAT 6 Cable	100 mtr.	
5	Gigabit Switch 4 port (PoE+) All ports - 10/100/1000 Mbps (with SFP Ports)	01 No.	D-Link / Cisco / Fortinet / Ruckus
6	RJ 45 Connector	10 No.	Honeywell / D-Link
7	Media Convertor	01 No.	Generic (Heavy Duty)
8	PVC Box	02 No.	
9	Rack 2U	01 No.	

c) Approximate Material required for Engineering Store, Banganga

S. No.	Description of items	Qty.	Remarks
1	IP Dome Camera 2MP	02 No.	As per enclosed specifications
2	IP Bullet Camera 2MP	01 No.	
3	NVR 8 Channel	01 No.	Nuuo / Honeywell / Hanwha (Samsung)
4	HDD 2TB	01 No.	Seagate / WD / Toshiba
5	Gigabit Switch 4 port (PoE+) All ports - 10/100/1000 Mbps (with SFP Ports)	02 No.	D-Link / Cisco / Fortinet / Ruckus
6	Wireless Mouse	01 No.	HP / Dell / Logitech
7	HDMI Cable 5 Mtr.	01 No.	Honeywell / D-Link
8	UTP CAT 6 Cable	305 mtr.	Honeywell / D-Link / Molex
9	RJ 45 Connector	10 No.	Honeywell / D-Link
10	Extension Board	01 No.	Generic (Heavy Duty)
11	PVC Box	03 No.	
12	PVC Rack	01 No.	
13	Rack 2 U	01 No.	

Sd/-
(Vipan Bhagat), JKAS
Asstt. Chief Executive Officer

Bullet Camera - Technical Specifications:

Sr.No.	Parameter	Minimum Specifications
1	Image Sensor	1/2.8 Inch CMOS Progressive Scan or better
2	Resolution Range	1920 × 1080 pixels (2MP) or better
3	Frame Rate	2MP@25/30 FPS
4	Compression Standard	H.265
5	Lens	Lower Focal Length limit to be: 3mm - 3.4 mm or better Upper Focal Length Limit to be: 8mm - 10.5mm or better
6	Focus	Auto Focus and Zoom
7	IR Illumination	Minimum 20 m or better; integrated adaptive IR Illumination
8	Signal Noise Ratio	>=50 dB
9	Wide Dynamic Range (WDR)	120 dB
10	Video Streaming	Minimum 03 Streams (Compression: H.265 simultaneously or better)
11	Network Port	RJ45 10/100 Base T
12	Edge Storage	Pre-installed minimum storage capacity of 256 GB or more & support upto minimum 1 TB SD Card.
13	IP Protection	IP66 and IK10
14	Image Settings	Color, Brightness, Sharpness, Contrast, White Balance, Backlight Compensation, Privacy Mask, Defog.
15	Video Analytics	Camera should have in-built Edge Based Analytics Video Motion Detection, Active Tampering Alarm/Shock Detection, Trip Zone, Abandoned Object, Intrusion Detection, Object Removal, Region Entrance Detection, Region Exiting Detection, Auto tracking, Crowd Management/Similar analytics on move
16	Event Trigger	Motion Detection, Edge Storage Events, External Input, Time Scheduled, Camera Tampering, Software Alarms.
17	Power	PoE Compliant as per IEEE 802.3at Class 4 & 12 V DC
18	Protocol	TCP, HTTP, HTTPS, SNMP, RSTP, SSL, TLS, 802.1x, DNS, ICMP, IP v4 & v6 Remote Administration: Remote configuration and status using web based tool, multicast / unicast.
19	Security	Security: IEEE 802.1x, IP Address Filter, Network authentication EAP/TLS, AES Encryption minimum 128 keys Onboard Cyber Security Chip like Trusted Platform Module / Public Key Infrastructure Camera Mac Address should be of same Camera OEM. NDAA or NIST or Better
20	Other features	ONVIF Compatible: ONVIF Profile S, G & T Compatible or better
21	Operating Temperature	- 20° to 55° C
22	Operating Humidity	Upto 90% RH (non-condensable)
23	Certification	Certification: UL (60950), CE, EN & FCC
24	Web Interface	Camera should have Web Interface to configure and control

Dome Camera - Technical Specifications

Sr.No.	Parameter	Minimum Specifications
1	Image Sensor	1/2.8 Inch CMOS Progressive Scan or better
2	Resolution Range	1920 x 1080 pixels (2MP) or better
3	Frame Rate	30 FPS
4	Compression Standard	H.265
5	Lens	Lower Focal Length limit to be: 3mm - 3.4 mm or better Upper Focal Length Limit to be: 8mm - 10.5mm or better
6	Focus	Auto Focus and Zoom
7	IR Illumination	Minimum 20 m or better; integrated adaptive IR Illumination
8	Signal Noise Ratio	>=50 dB
9	Wide Dynamic Range (WDR)	120 dB
10	Video Streaming	Minimum 03 Streams (Compression: H.265 simultaneously or better)
11	Network Port	RJ45 10/100 Base T
12	Edge Storage	Pre-installed minimum storage capacity of 256 GB or more & support upto minimum 1 TB SD Card.
13	IP Protection	IP66 and IK10
14	Image Settings	Color, Brightness, Sharpness, Contrast, White Balance, Backlight Compensation, Privacy Mask, Defog.
15	Video Analytics	Camera should have in-built Edge Based Analytics i.e., Video Motion Detection, Camera Tampering Alarm, Trip Zone, Intrusion Detection, Region Entrance Detection, Region Exiting Detection.
16	Event Trigger	Motion Detection, Edge Storage Events, External Input, Time Scheduled, Camera Tampering, Software Alarms.
17	Power	PoE Compliant
18	Protocol	TCP, HTTP, HTTPS, SNMP, RTSP, SSL, TLS, 802.1x, DNS, ICMP, IP v4 & v6 Remote Administration: Remote configuration and status using web based tool, multicast / unicast.
19	Security	IEEE 802.1x, IP Address Filter Network authentication EAP/TLS AES Encryption minimum 128 keys Onboard Cyber Security Chip like Trusted Platform Module/ Public Key Infrastructure Camera Mac Address should be of same Camera OEM BIS Complied. NDAA or NIST or Better
20	Other features	ONVIF Compatible
21	Operating Temperature	0° to 50°C
22	Operating Humidity	Upto 85% RH (non-condensable)
23	Certification	UL (60950), CE, EN & FCC
24	Web Interface	Camera should have Web Interface to configure and control

PTZ Camera 2 MP (Out Door Application) - Technical Specifications

Sr. No.	Parameter	Minimum Specifications
1	Image Sensor	1/2.8 Inch CMOS Progressive Scan or better
2	Resolution Range	1920X1080 in 16:9 format or better
3	Frame Rate	50/60 FPS
4	Compression Standard	H.265 or latest
5	Lens	Lower Focal Length limit to be: 4-7 mm or better Upper Focal Length Limit to be: 130-250 or better
6	Optical Zoom	30x or better
7	Digital Zoom	12x or better
8	IRIS Control	Auto
9	Preset	256 or better
10	Tours	Minimum04
11	Preset Accuracy	+ - 0.2°
12	Pan & Tilt Speed (Manual)	120° per second for Pan and 90° per second for Tilt
13	Protocol	TCP, HTTP, HTTPS, SNMP, RTSP, SSL.TLS, 802.1x, DNS, ICMP, IP v4 & v6 Remote Administration: Remote configuration and status using web based tool, multicast /unicast.
14	Intelligent Tracking	Auto & Manual
15	Signal Noise Ratio	>=50 dB
16	Back light Compensation	Auto Control
17	Video Streaming	Minimum 03 Streams ,Compression : H.265
18	Pan Movement	360°continuous Pan Rotation
19	Tilt Angle	+20° to -90°or better
20	Security	IEEE 802.1x, IP Address Filter Network authentication EAP/TLS AES Encryption minimum 128 keys / Public Key Infrastructure Camera Mac Address should be of same Camera OEM, NDAA or NIST or Better
21	Wide Dynamic Range (WDR)	120 dB
22	Network Port	RJ45 10/100 Base T
23	IP Protection	IP66, NEMA4 and IK10 or better
24	Image Settings	Color, Brightness, Sharpness, Contrast, White Balance, Backlight Compensation, Privacy Mask, Defog.
25	Video Analytics	Camera should have in-built Edge Based Analytics Video Motion Detection, Active Tampering Alarm, Trip Zone, Abandoned Object, Intrusion Detection, Object Removal, Region Entrance Detection, Region Exiting Detection, Object Counting, Auto tracking, Crowd Management/Similar analytics on move
26	Event Trigger	Motion Detection, Edge Storage Events, External Input, Time Scheduled, Camera Tampering / Shock Detection, Software Alarms.
27	Power	POE+/High POE Compliant
28	Other features	ONVIF S,G & T Compatible, SFP Interface in camera or accessories
29	Operating Temperature	- 20° to 60° C
30	Operating Humidity	Upto 90% RH (non-condensable)
31	IR Illumination	180 meter and better.
32	Web Interface	Camera should have Web Interface to configure and control
33	Edge Storage	Pre-installed minimum storage capacity of256 GB or more& support upto minimum 1 TB SD Card.

(On the letter head of the firm)

PRICE BID

To,

The Asstt. Chief Executive Officer (VB),
Shri Mata Vaishno Devi Shrine Board,
Katra.

Subject: Quotation for SITC of CCTVs and allied accessories.**RFIQ No. CO/Pur/Electronics/26/521/15 dated: 04.04.2026**

Sir,

I, _____ representative / proprietor of M/s _____ hereby submit my following rates as per the specification / UOM / requirement of Shrine Board, NET rates inclusive of GST, freight, loading / loading and other taxes / charges, F.O.R. Engineering Store, Banganga, Katra:-

S. No.	Description of Item	Net Rate inclusive of all taxes, and SITC at SITE.
1.	SITC of CCTV and allied accessories at Sports Complex	
2.	SITC of CCTV and allied accessories at Vaishnavi Dham Jammu	
3.	SITC of CCTV and allied accessories at ES, Banganga	

Notwithstanding anything mentioned in our price bid, we hereby accept all the terms and conditions mentioned in the RFIQ which are being signed in token of my acceptance. We hereby undertake and confirm that I/we have understood the specifications properly and shall supply the material as per the required / higher specifications to SMVDSB.

I further affirm that in case, I fail to abide-by the conditions or upto the entire satisfaction of the Shrine Board; I shall be liable to the penalties under rules. I further hereby declare that my firm is not blacklisted.

Seal & Signature _____ M/s _____

Full Address _____ Contact Person: _____

Contact Number: _____ E-mail ID: _____

The price to be quoted / offered on the letter head of the firm only as per the Price Bid format.