



**Office of the Chief Executive Officer
Shri Mata Vaishno Devi Shrine Board,**

Central Office, Jammu Road, Katra (J&K – UT) - 182301

No.: CO/Pur/Electronics/310-IX/3608

Dated: 07.02.2026

Request for Inviting Quotations (RFIQ)

For and on behalf of Shri Mata Vaishno Devi Shrine Board; through Chief Executive Officer (herein after referred as SMVDSB), offers are hereby invited from OEMs / distributors / dealers only for furnishing the rates for Supply of IT equipment as per the Specifications, Brands / Makes mentioned at Clause No. 22 which shall remain valid for a period of six (06) months from the date of issuance of Rate Approval Order.

Prospective bidders are as such requested to kindly quote the rate for the same giving full details including special discount for this organization.

Terms and conditions:

1. **Documents (mandatory) to be submitted:**
 - a. GST Certificate
 - b. EMD in original
 - c. OEM or its authorized Distributor / Dealer Certificate (where ever applicable) shall be submitted along with the quotation.
 - d. Data Sheets in respect of NVR, DVR and Switches along with the offer. Failure to submit the same may lead to rejection of the bid at any stage, even after bid opening.
 - e. Copy of the RFIQ document **duly signed and stamped** accepting all the terms and conditions.
2. This is just a RFIQ and not Purchase Order.
3. The last date for submission of sealed quotations is **13.02.2026**.
4. The validity of quotation should be 20 days from the last date prescribed for submission.
5. The validity of rates should be for a period of six (06) months from the date of issuance of Rate Approval Order.
6. Quantity mentioned in RFIQ is indicative and can be increased or decreased as per requirement.
7. Before submitting the quotation, the participating firms shall ensure that sufficient stock is available with them.
8. **Rates:**
 - a. The rates should be NET inclusive of GST, loading, unloading, toll tax, freight and other taxes / charges / F.O.R. Engineering Store, Banganga.
 - b. The participating firms are advised to quote per piece rates (inclusive of all) (Rates excluding GST and Ex-Shop shall not be considered even after opening of the quotation).
9. The rates of the firms shall be considered on L-1 basis against each item(s).
10. The supplier shall have to mention either the GST No. 01AAETS9822J1ZC of (Shri Mata Vaishno Devi Shrine Board) **or** GST No. 01ABIAS9784P1ZK (Shri Mata Vaishno Devi Charitable Society, Katra) as the case may be while raising their bill of supplies.
11. While filing GSTR-I, the supplier shall classify the supply / service made to SMVDSB / SMVDCS under Business to Business (B to B) Sales.
12. The firm shall have to mention the HSN Code while raising the bills.
13. The supplier shall file GSTR-I and 3B within due dates prescribed under the CGST/SGST Act 2017 so as to enable SMVDSB / SMVDCS to claim timely input

- credit. In case of default, interest @ 2% per month of the tax amount shall be charged and recovered from the defaulting supplier.
14. The supplier who opted for QRMP scheme must opt for Invoice Furnishing Facility (IFF) to file their details of outward supplied in first two months of the quarter to pass on the credit to the Shrine Board.
15. **Earnest Money Deposit:**
- a. The participating firm shall have to furnish the EMD in the shape of CDR/FDR amounting to **₹ 60,000/- (Rupees sixty thousand only)** pledged to FA/CAO, SMVDSB payable at Katra alongwith the offer. The participating firms may also deposit the EMD amount through NEFT/RTGS in the official A/c of Shri Mata Vaishno Devi Shrine Board, Bank Name: The J&K Bank, Account No. Account No. 0235040500001804, IFSC – JAKA0KATTRA (“0” Zero). EMD in the shape of Demand Draft shall not be accepted. Also, no exemption for non submission of EMD is allowed.
 - b. It shall be noted that if any bidder did not enclose EMD (in original) of stipulated amount or furnish CDR/FDR of an amount less than the stipulated amount as mentioned, the bid/offer submitted by the firm shall be rejected outrightly and the rates of the said firm shall not be considered even after opening.
 - c. The successful firm(s) shall deposit an amount equivalent to 5% of the contract value, which shall be released after expiry of Rate Approval Order.
 - d. The EMD of the successful bidders shall be released after deposit of said security deposit by the firm.
 - e. The EMD of the unsuccessful bidders shall be released after the award of work to the successful bidder
16. The conditional, illegible, ambiguous quotation (s) and quotation (s) received after the stipulated date and time shall be outrightly rejected.
17. The material to be supplied should strictly be from the brands / make / specifications mentioned in the RFIQ. No change in the Brand / Make shall be accepted. Any change in the Brand / Make shall outrightly be rejected. Any deviation from the same leads to the rejection of the supplied material alongwith forfeiting of Security Deposit and debarring from any further dealing with SMVDSB for a period of three (03) years.
18. **Delivery:**
The material shall be delivered within 20 days from the date of issuance of Purchase Order. Before participating, the competing firm must ensure that it has the capacity to meet the delivery period criteria. The Shrine Board may or may not extend the delivery period.
19. **INSPECTION / LIFTING BACK OF REJECTED SUPPLIES:**
- a) On receipt, the material shall be inspected / checked by our Inspection Committee and if found of inferior quality/defective, the same will be rejected and the Board shall be at liberty to have the same procured from open market at the risk & cost of the supplier whereby the original supplier shall be liable to pay the extra cost, if any, involved in the process. The Competent Authority, however, may accept the replaced material within the delivery period if it conforms to the approved specifications.
 - b) The rejected material shall have to be lifted by the supplier at his own risk and cost within a week's time, failing which storage charges @ 2% per day shall be imposed against the supplier for a period of one week. The penalty amount shall get doubled for each subsequent week and the rejected material in the stores shall be at the risk of the firm. Beyond one month the material shall be auctioned

and storage charges shall be recovered from the supplier @2% per day. The amount acquired on account of auctioning shall be deposited to SMVDSB Account.

20. **Penalty:**

Following penalties (calculated on the value of unsupplied material) shall be imposed for delay beyond the prescribed delivery period, unless exempted by the competent authority for valid reasons to be brought on record.

- a. Upto 7th days @ 0.5%
- b. From 8th day to 15th day @ 1%
- c. From 16th day to 22nd day @ 1.5% and
- d. From 23rd day to 30th day @ 2% shall be imposed on each pending item as per the approved rate/quantity mention in the purchase order of the value of the pending supplies.
- e. After 30 days of delay, the purchase order shall be deemed to have been cancelled to the extent of unsupplied material and the material shall be procured from alternative sources at risk and cost of vendor.

Note: Despite cancellation of Purchase Order as stated above; for any valid reason to be brought on record, the Competent Authority may grant extension in the stipulated delivery period; with or without penalty. (Amount to be decided by the Competent Authority).

21. **Warranty:**

- a. The successful firm shall provide warranty as mentioned against each items as per Clause 22.
- b. The warranty shall start from the date of receipt of material at Engineering Store, Banganga.
- c. The successful firm shall be responsible for providing Guarantee / Warranty to SMVDSB on the supplied material. Warranty Certificate shall be furnished at the time of supply of material. The supplier shall be fully responsible for any manufacturing defects and shall provide onsite warranty / guarantee service after sales.

22. **Warranty, Brand / Make should be as per following:**

S. No.	Description of items	Min. Warranty (in months)	Required Specifications / Brand / Make
1	IP Camera (Bullet / Dome / PTZ)	60	Specifications as per Annexure A (I, II & III)
2	Analog Camera	24	Reputed Make
3	NVR / DVR	24	Nuuo / Honeywell / Hanwha (Samsung)
4	Hard Disk Drive	12	Seagate / WD / Toshiba
5	Gigabit Switch (PoE+) All ports - 10/100/1000 Mbps (with SFP Ports)	24	D-Link / Cisco / Fortinet / Ruckus
6	Wireless Mouse	12	HP / Logitech / Dell
7	Networking Rack	--	ValRack / Comrac / President
8	Networking CAT 6 Cable	--	Honeywell / D-Link / Molex
9	OFC Armoured Cable	--	
10	RJ 45 connector	--	Honeywell / D-Link
11	HDMI Cable	--	
12	HDPE Pipe	--	Generic (Heavy Duty)
13	PVC Conduit Pipe	--	
14	Extension Board	06	
15	PVC Box	--	
16	PVC Rack	--	

23. The participating firms are required to clearly mention the Brand/Make against each equipment. Incomplete information or failure to specify the Brand/Make against any item may lead to the rejection of the bid at any stage, even after opening of bid.

24. **Payment Terms:**

No Advance payment shall be made. Payment shall be made after receipt and inspection / acceptance of complete material against a Purchase Order, at the

Engineering Store, Banganga within a period of 20 days from the date of issuance of GR.

25. **Debaring**

If the successful bidder / supplier / firm fail to comply with the terms and conditions after successful culmination of the Bid and placing of order, the firm may be debarred from further dealing with SMVDSB for a period of 03 years and the EMD/Security Deposit, of the firm shall be forfeited without any communication.

26. **Force Majeure:**

Any failure or omission to carry out the provisions of the order shall not give rise to any claim by one party against the other, if such failure or omission arises from an "Act of God" which shall include all acts of Natural Calamities such as fire, flood, earthquakes, hurricanes, pandemics or any pestilences or from civil strikes, compliances with any statute or regulations of the Government lock outs and strikes, riots, embargoes or from any other reasons beyond the control of the parties.

27. **Rights reserved by SMVDSB:**

The Competent authority of SMVDSB reserves the right:-

- a. To cancel/ terminate the RFIQ / Purchase Order during the period of its validity without assigning any reason thereof.
- b. Grant of extension with or without imposing penalty, as deemed fit.
- c. Shrine Board also reserves the right to re-invite the quotations at its sole discretion.
- d. SMVDSB reserves the right to reject, accept or prefer any bid in part or full without assigning any reason whatsoever at any stage.

28. **Arbitration:**

- a. In case of any dispute arising between the parties during the supply of material and all matters connected therewith shall be referred to the arbitrator to be appointed/nominated by the Competent Authority under The Arbitration and Conciliation Act., 1996, whose decision shall be final and binding upon both the parties.
- b. However, on failure of arbitration, the dispute / matter will be subjected to the jurisdiction of Civil Court of Katra / Reasi.
- c. All disputes arising hereto are subject to Jurisdiction of the Courts of Law at Katra / Reasi.

29. The broad terms and conditions have been included. However, other standard terms and conditions of supply may be incorporated in the Job Order to be issued in due course.

30. Conditional, illegible, ambiguous quotation(s) and quotation(s) received after the stipulated date and time shall be out rightly rejected.

31. **Procedure for submission of Bid:**

Bidders are required to submit their bids under a Two-Bid System, comprising:

- a. Cover – I: Technical Bid
- b. Cover – II: Price Bid

(A) Cover – I: Technical Bid:

The technical bid shall include all supporting documents as per Clause 1 of the RFIQ document.

(B) Cover – II: Price Bid:

- The Price Bid must be submitted as per **Annexure – “B”**.
- The Price Bid must be absolute and unconditional.
- Conditional bids shall be summarily rejected.
- The Price Bid will only be opened for bidders who have qualified in the technical bid evaluation.
- Rates must be quoted strictly as per the prescribed format without any deviation.

(C) Submission Method:

Both the Technical Bid (Cover – I) and the Price Bid (Cover – II) must be sealed in separate envelopes super scribed as “**Quotation for Supply of IT equipment for a period of six months**” against RFIQ No. **CO/Pur/Electronics/310-IX/3608 dated 07.02.2026** and submitted in-person or sent via Registered Post / Speed Post / Courier at following address so as to reach this office by or before **3:00 PM (15:00 Hrs.) on 13.02.2026**:

**Asstt. Chief Executive Officer (VB)
Shri Mata Vaishno Devi Shrine Board
Central Office, Jammu Road, Katra (J&K) – 182301**

- Bids received after the due date and time will not be considered under any circumstance.
32. The quotations shall be opened by the Committee, at Central Office, SMVDSB, Katra in the presence of the bidders who may choose to remain present.
33. The Shrine Board shall not be responsible for any postal delay. Any conditional offer OR offers which are not appropriately sealed as per the format, as explained above, OR offers received after the stipulated date and time, shall not be entertained. Any cutting or overwriting in the Documents will also make the bid liable for rejection.

**Sd/-
(Vipan Bhagat), JKAS
Asstt. Chief Executive Officer**

Seal and Sign of the firm

**Please read terms and conditions before submitting the quotation.*

**Annexure – “A” to this office RFIQ issued under endorsement No:
CO/Pur/Electronics/310-IX/3608 dated: 07.02.2026**

The quantity and warranty in respect of each item is mentioned below:

S. No.	Description of items	Tentative Qty. for six months	Warranty / Guarantee	Specifications, Band / Make
1	IP based 2 MP Bullet Camera	5 Nos.	60 months	As per specifications mentioned at Annexure A (I, II & III)
2	IP based 2 MP Dome Camera	5 Nos.	60 months	
3	IP based 2 MP PTZ Camera	5 Nos.	60 months	
4	Analog 2 MP Bullet Camera	5 Nos.	24 months	Reputed Make
5	Analog 2 MP Dome Camera	5 Nos.	24 months	
6	DVR 4 Channel	2 Nos.	24 months	Nuuo / Honeywell / Hanwha (Samsung)
7	DVR 8 Channel	5 Nos.	24 months	
8	DVR 16 Channel	5 Nos.	24 months	
9	DVR 32 Channel	5 Nos.	24 months	
10	NVR 4 Channel	5 Nos.	24 months	
11	NVR 8 Channel	5 Nos.	24 months	
12	NVR 16 Channel	6 Nos.	24 months	
13	NVR 32 Channel	6 Nos.	24 months	Seagate / WD / Toshiba
14	HDD 1 TB	5 Nos.	12 months	
15	HDD 2 TB	5 Nos.	12 months	
16	HDD 4 TB	2 Nos.	12 months	
17	HDD 8 TB	2 Nos.	12 months	D-Link / Cisco / Fortinet / Ruckus
18	Gigabit Switch 4 port (PoE+) All ports - 10/100/1000 Mbps (with SFP Ports)	5 Nos.	24 months	
19	Gigabit Switch 8 port (PoE+) All ports - 10/100/1000 Mbps (with SFP Ports)	5 Nos.	24 months	
20	Gigabit Switch 16 port (PoE+) All ports - 10/100/1000 Mbps (with SFP Ports)	10 Nos.	24 months	
21	Gigabit Switch 24 port (PoE+) All ports - 10/100/1000 Mbps (with SFP Ports)	10 Nos.	24 months	HP / Logitech / Dell
22	Wireless Mouse	10 Nos.	12 months	
23	Network Rack 6U	5 Nos.	--	ValRack / Comrac / President
24	Network Rack 9U	5 Nos.	--	
25	Networking CAT 6 Cable	2 rolls (305 mtr. / roll)	--	Honeywell / D-Link / Molex
26	OFC Armoured 2 core	2 rolls (305 mtr. / roll)	--	
27	OFC Armoured 4 core	2 rolls (305 mtr. / roll)	--	
28	RJ 45 connector	500 pcs. (100 pc / box)	--	Honeywell / D-Link
29	HDMI Cable	10 Nos.	--	
30	HDPE Pipe	As per Site requirement	--	Generic (Heavy Duty)
31	PVC Conduit Pipe	As per Site requirement	--	
32	Extension Board	10 Nos.	6 months	
33	PVC Box	10 Nos.	--	
34	PVC Rack	10 Nos.	--	

**Sd/-
(Vipan Bhagat), JKAS
Asstt. Chief Executive Officer**

Seal and Sign of the firm

1. Bullet Camera - Technical Specifications:

Sr. No.	Parameter	Minimum Specifications
1	Image Sensor	1/2.8 Inch CMOS Progressive Scan or better
2	Resolution Range	1920 × 1080 pixels (2MP) or better
3	Frame Rate	2MP@25/30 FPS
4	Compression Standard	H.265
5	Lens	Lower Focal Length limit to be: 3mm - 3.4 mm or better Upper Focal Length Limit to be: 8mm - 10.5mm or better
6	Focus	Auto Focus and Zoom
7	IR Illumination	Minimum 20 m or better; integrated adaptive IR Illumination
8	Signal Noise Ratio	>=50 dB
9	Wide Dynamic Range (WDR)	120 dB
10	Video Streaming	Minimum 03 Streams (Compression: H.265 simultaneously or better)
11	Network Port	RJ45 10/100 Base T
12	Edge Storage	Pre-installed minimum storage capacity of 256 GB or more & support upto minimum 1 TB SD Card.
13	IP Protection	IP66 and IK10
14	Image Settings	Color, Brightness, Sharpness, Contrast, White Balance, Backlight Compensation, Privacy Mask, Defog.
15	Video Analytics	Camera should have in-built Edge Based Analytics Video Motion Detection, Active Tampering Alarm/Shock Detection, Trip Zone, Abandoned Object, Intrusion Detection, Object Removal, Region Entrance Detection, Region Exiting Detection, Auto tracking, Crowd Management/Similar analytics on move
16	Event Trigger	Motion Detection, Edge Storage Events, External Input, Time Scheduled, Camera Tampering, Software Alarms.
17	Power	PoE Compliant as per IEEE 802.3at Class 4 & 12 V DC
18	Protocol	TCP, HTTP, HTTPS, SNMP, RSTP, SSL, TLS, 802.1x, DNS, ICMP, IP v4 & v6 Remote Administration: Remote configuration and status using web based tool, multicast / unicast.
19	Security	Security: IEEE 802.1x, IP Address Filter, Network authentication EAP/TLS, AES Encryption minimum 128 keys Onboard Cyber Security Chip like Trusted Platform Module / Public Key Infrastructure Camera Mac Address should be of same Camera OEM. NDAA or NIST or Better
20	Other features	ONVIF Compatible: ONVIF Profile S, G & T Compatible or better
21	Operating Temperature	- 20° to 55° C
22	Operating Humidity	Upto 90% RH (non-condensable)
23	Certification	Certification: UL (60950), CE, EN & FCC
24	Web Interface	Camera should have Web Interface to configure and control

Sd/-**(Vipan Bhagat), JKAS
Asstt. Chief Executive Officer**

2. Fixed Dome Camera - Technical Specifications

Sr. No.	Parameter	Minimum Specifications
1	Image Sensor	1/2.8 Inch CMOS Progressive Scan or better
2	Resolution Range	1920 x 1080 pixels (2MP) or better
3	Frame Rate	30 FPS
4	Compression Standard	H.265
5	Lens	Lower Focal Length limit to be: 3mm - 3.4 mm or better Upper Focal Length Limit to be: 8mm - 10.5mm or better
6	Focus	Auto Focus and Zoom
7	IR Illumination	Minimum 20 m or better; integrated adaptive IR Illumination
8	Signal Noise Ratio	>=50 dB
9	Wide Dynamic Range (WDR)	120 dB
10	Video Streaming	Minimum 03 Streams (Compression: H.265 simultaneously or better)
11	Network Port	RJ45 10/100 Base T
12	Edge Storage	Pre-installed minimum storage capacity of 256 GB or more & support upto minimum 1 TB SD Card.
13	IP Protection	IP66 and IK10
14	Image Settings	Color, Brightness, Sharpness, Contrast, White Balance, Backlight Compensation, Privacy Mask, Defog.
15	Video Analytics	Camera should have in-built Edge Based Analytics i.e., Video Motion Detection, Camera Tampering Alarm, Trip Zone, Intrusion Detection, Region Entrance Detection, Region Exiting Detection.
16	Event Trigger	Motion Detection, Edge Storage Events, External Input, Time Scheduled, Camera Tampering, Software Alarms.
17	Power	PoE Compliant
18	Protocol	TCP, HTTP, HTTPS, SNMP, RTSP, SSL, TLS, 802.1x, DNS, ICMP, IP v4 & v6 Remote Administration: Remote configuration and status using web based tool, multicast / unicast.
19	Security	IEEE 802.1x, IP Address Filter Network authentication EAP/TLS AES Encryption minimum 128 keys Onboard Cyber Security Chip like Trusted Platform Module/ Public Key Infrastructure Camera Mac Address should be of same Camera OEM BIS Complied. NDAA or NIST or Better
20	Other features	ONVIF Compatible
21	Operating Temperature	0° to 50°C
22	Operating Humidity	Upto 85% RH (non-condensable)
23	Certification	UL (60950), CE, EN & FCC
24	Web Interface	Camera should have Web Interface to configure and control

Sd/-
(Vipan Bhagat), JKAS
Asstt. Chief Executive Officer

3. PTZ Camera 2 MP (Out Door Application) - Technical Specifications

Sr. No.	Parameter	Minimum Specifications
1	Image Sensor	1/2.8 Inch CMOS Progressive Scan or better
2	Resolution Range	1920X1080 in 16:9 format or better
3	Frame Rate	50/60 FPS
4	Compression Standard	H.265 or latest
5	Lens	Lower Focal Length limit to be: 4-7 mm or better Upper Focal Length Limit to be: 130-250 or better
6	Optical Zoom	30x or better
7	Digital Zoom	12x or better
8	IRIS Control	Auto
9	Preset	256 or better
10	Tours	Minimum04
11	Preset Accuracy	+ - 0.2°
12	Pan & Tilt Speed (Manual)	120° per second for Pan and 90° per second for Tilt
13	Protocol	TCP, HTTP, HTTPS, SNMP, RTSP, SSL.TLS, 802.1x, DNS, ICMP, IP v4 & v6 Remote Administration: Remote configuration and status using web based tool, multicast /unicast.
14	Intelligent Tracking	Auto & Manual
15	Signal Noise Ratio	>=50 dB
16	Back light Compensation	Auto Control
17	Video Streaming	Minimum 03 Streams ,Compression : H.265
18	Pan Movement	360°continuous Pan Rotation
19	Tilt Angle	+20° to -90°or better
20	Security	IEEE 802.1x, IP Address Filter Network authentication EAP/TLS AES Encryption minimum 128 keys / Public Key Infrastructure Camera Mac Address should be of same Camera OEM, NDAA or NIST or Better
21	Wide Dynamic Range (WDR)	120 dB
22	Network Port	RJ45 10/100 Base T
23	IP Protection	IP66, NEMA4 and IK10 or better
24	Image Settings	Color, Brightness, Sharpness, Contrast, White Balance, Backlight Compensation, Privacy Mask, Defog.
25	Video Analytics	Camera should have in-built Edge Based Analytics Video Motion Detection, Active Tampering Alarm, Trip Zone, Abandoned Object, Intrusion Detection, Object Removal, Region Entrance Detection, Region Exiting Detection, Object Counting, Auto tracking, Crowd Management/Similar analytics on move
26	Event Trigger	Motion Detection, Edge Storage Events, External Input, Time Scheduled, Camera Tampering / Shock Detection, Software Alarms.
27	Power	POE+/High POE Compliant
28	Other features	ONVIF S,G & T Compatible, SFP Interface in camera or accessories
29	Operating Temperature	- 20° to 60° C
30	Operating Humidity	Upto 90% RH (non-condensable)
31	IR Illumination	180 meter and better.
32	Web Interface	Camera should have Web Interface to configure and control
33	Edge Storage	Pre-installed minimum storage capacity of256 GB or more& support upto minimum 1 TB SD Card.

Sd/-
(Vipan Bhagat), JKAS
Asstt. Chief Executive Officer

(On the letter head of the firm)

PRICE BID

To,
The Asstt. Chief Executive Officer (VB),
 Shri Mata Vaishno Devi Shrine Board, Katra.

Subject: **Quotation for Supply of IT Equipment to SMVDSB for a period of six (06) Months.**

RFIQ No: CO/Pur/Electronics/310-IX/3608 Dated: 07.02.2026

Sir,

I, _____ representative / proprietor of M/s _____ hereby submit my following rates as per the specification / UOM / requirement of Shrine Board, NET rates inclusive of GST, other taxes at Engineering Store, Banganga, Katra:-

S. No.	Description	Brand/Make offered	Warranty / Guarantee offered	Rates Offered (in Rs.)	UOM
1	IP based 2 MP Bullet Camera				each
2	IP based 2 MP Dome Camera				each
3	IP based 2 MP PTZ Camera				each
4	Analog 2 MP Bullet Camera				each
5	Analog 2 MP Dome Camera				each
6	DVR 4 Channel				each
7	DVR 8 Channel				each
8	DVR 16 Channel				each
9	DVR 32 Channel				each
10	NVR 4 Channel				each
11	NVR 8 Channel				each
12	NVR 16 Channel				each
13	NVR 32 Channel				each
14	HDD 1 TB				each
15	HDD 2 TB				each
16	HDD 4 TB				each
17	HDD 8 TB				each
18	Gigabit Switch 4 port (PoE+) All ports - 10/100/1000 Mbps (with SFP Ports)				each
19	Gigabit Switch 8 port (PoE+) All ports - 10/100/1000 Mbps (with SFP Ports)				each
20	Gigabit Switch 16 port (PoE+) All ports - 10/100/1000 Mbps (with SFP Ports)				each
21	Gigabit Switch 24 port (PoE+) All ports - 10/100/1000 Mbps (with SFP Ports)				each
22	Wireless Mouse				each
23	Network Rack 6U				each
24	Network Rack 9U				each
25	Networking CAT 6 Cable				each roll
26	OFC Armoured 2 core				each roll
27	OFC Armoured 4 core				each roll
28	RJ 45 connector				per pc
29	HDMI Cable				each
30	HDPE Pipe				per mtr.
31	PVC Conduit Pipe				per mtr.
32	Extension Board				each
33	PVC Box				each
34	PVC Rack				each

Notwithstanding anything mentioned in our price bid, we hereby accept all the terms and conditions mentioned in the RFIQ which are being signed in token of my acceptance. We hereby undertake and confirm that I/we have understood the specifications properly and shall supply the material as per the required specifications to SMVDSB.

I further affirm that in case, I fail to abide-by the conditions or upto the entire satisfaction of the Shrine Board; I shall be liable to the penalties under rules. I further hereby declare that my firm is not blacklisted.

Yours faithfully,

Seal & Signature _____ M/s _____
 Contact Person: _____ Contact No: _____
 Full Address: _____ E-mail Id: _____

****The price to be quoted / offered on the letter head of the firm only as per the price bid format.****