



**OFFICE OF THE CHIEF EXECUTIVE OFFICER,
SHRI MATA VAISHNO DEVI SHRINE BOARD,**

Central Office, Ja.mmu Road, Katra (J&K) – 182301

E-mail: aceovb@maavaishnodevi.net, purchase_sec@maavaishnodevi.net

Request For Inviting Quotations (RFIQ)

RFIQ No. CO/Pur/Electronics/680/2205

Dated: 18.09.2026

For and on behalf of the Shri Mata Vaishno Devi Shrine Board, through Chief Executive Officer, Offers under **two (02) bids system** are invited from the firm for **Supply, Installation, Testing & Commissioning (SITC) of CCTV and allied accessories** as per the Specifications, Brands / Makes mentioned in **Annexure “A”** :-

Description	Amount of EMD (₹)
SITC of CCTV and allied accessories at SMVDNSH, Kakryal, including residential buildings	90,000/-

The RFIQ consisting of Qualifying Information, Eligibility Criteria, Specifications, Bill of Quantities, (B.O.Q), set of Terms & Conditions of RFIQ and other details can be seen / downloaded from the website:- <http://jktenders.gov.in> & on SMVDSB website www.maavaishnodevi.org as per following schedule:

Date of Publishing of RFIQ	18.09.2026 at 1:30 PM
Download Start Date	18.09.2026 at 2:00 PM onwards
Bid Submission Start Date	18.09.2026 at 2:00 PM onwards
Bid Submission End Date (Online)	30.09.2026 upto 03:00 PM
Date of Opening of Technical Bid (Online)	01.10.2026 at 03: PM
Date of Opening of Financial Bid (Online)	Shall be intimated to the technically qualified bidders.

The Bids shall be deposited in Electronic Format on the e-tender portal i.e. www.jktenders.gov.in and should be submitted strictly in accordance with the provisions of the detailed RFIQ. **Complete bidding process will be done online on e-tender portal www.jktenders.gov.in only.**

However, the RFIQ document is also available on the official website of SMVDSB i.e. www.maavaishnodevi.org for reference purpose only.

Earnest Money Deposit (EMD):

- Earnest Money Deposit amounting to **₹ 90,000/- (Rupees Ninty Thousand only)** shall be paid in the shape of **CDR /FDR** drawn from any Nationalized / Scheduled Bank duly pledged to the AO, SMVDCS.
- Alternatively, the bidders may also transfer the required amount on account of EMD in online mode (**IMPS / NEFT / RTGS**) in the following account of the Shrine Board: Shri Mata Vaishno Devi Charitable Society Branch HDFC Bank Katra, Account No. **50100417566279, IFSC – HDFC0002344**
- CDR/ FDR (in original) must be submitted in Purchase Section, Central Office, Katra on or before bid submission end date. **In case of online transfer**, the print-copy of screenshot of transaction must be uploaded on the tendering portal only. **In addition, the full details of the Bank Account from which the transaction has**

been made shall have to written on the body of the Transaction Screenshot.
The transaction to the account specified above shall only be accepted. **The transaction made to any other account of Shrine Board shall be treated as failure to deposit the prescribed EMD.**

- iv. No document shall be submitted to SMVDSB in physical form except the EMD.

Sd/-
(Vipan Bhagat) JKAS
Asstt. Chief Executive Officer

No: CO/Pur/Electronics/680/2205

Dated: 18.09.2026

Instruction to bidders regarding e-tendering process:-

1. The interested bidder can download the RFIQ document from the website **www.jktenders.gov.in** and **www.maavaishnodevi.org**.
2. Before starting the bidding process, bidders are advised to carefully read the Instructions, Terms and Conditions mentioned in the Document online on e-tendering portal i.e. **www.jktenders.gov.in**.
3. The bidders, in their own interest, are requested not to wait till the last moment for submission of bid to avoid last minute rush and local problems related to internet connectivity, law and order, strike, closure of establishments etc. The SMVDSB shall not be responsible, if bids could not be uploaded due to such problems at the bidders' end.
4. The bidders must possess valid Digital Signature Certificate (DSC) issued from any agency authorized by Controller of Certifying Authority (CCA), Govt. of India and which can be traced up to the chain of trust to the Root Certificate of CCA. Bidders can get above mentioned digital certificate from any approved vendors.
5. The Bidders, who already possess valid (DSC) Digital Signature Certificates, need not to procure new Digital Signature Certificate.
6. The offer should be submitted (uploaded) strictly as per the terms and conditions and procedures laid down in the website failing which the offer is liable for rejection. Bidders should download the complete RFIQ including the Annexure and read carefully before filling the details and uploading the documents.
7. The offers with any deviations to the RFIQ's terms and conditions shall be liable for rejection.
8. The Technical Bids shall be opened online.
9. Only Financial Bids of technically qualified bidders shall be opened online.
10. The bidders have to submit their bids online in electronic format with Digital Signature. The bids cannot be uploaded without Digital Signature. No Proposal will be accepted in physical form.
11. Bids will be opened online as per time schedule mentioned in the RFIQ.
12. Before submission of online bids, bidders must ensure that scanned copies of all the necessary documents have been attached with bid.
13. SMVDSB will not be responsible for delay in online submission of bids whatsoever reasons may be.
14. All the required information for bid must be filled and submitted online.
15. The details of EMD specified in the RFIQ document should be the same, as submitted online (scanned copies) otherwise bid will not be accepted.
16. Bidders are advised to use "My Documents" area in their user on **http://jktenders.gov.in**, e-tendering portal to store important documents like Balance sheet, GST Registration Certificate, OEM or authorization certificate and other related documents etc., and attach these certificates as Non-Statutory documents while submitting their bids.
17. Bidders are advised not to make any change in BOQ (Bill of Quantities) contents or its name. In no case they should attempt to create similar BOQ manually. The BOQ downloaded should be used for filling the item rate as prescribed and it should be saved with the same as it contains.
18. Bidders are advised to scan their documents at 100 DPI (Dots per Inch) resolutions with Black and White, PDF \ Scan properly.
19. The guidelines for submission of bid online can be downloaded from the website **http://www.jktenders.gov.in** and **www.maavaishnodevi.org**.
20. SMVDSB shall not be held responsible for selection criteria/policy matter being adopted by the Directorate of Information regarding publishing the RFIQ, in any of the newspaper under circulation.
21. The tenderer should carefully study the document and prepare his tender with consideration of all provisions of the document. He should fully acquaint himself with site conditions and all other factors which may influence preparation of his tender.

Sd/-
(Vipan Bhagat) JKAS
Asstt. Chief Executive Officer



**Office of the Chief Executive Officer
Shri Mata Vaishno Devi Shrine Board, Katra**

No.CO/Pur/Electronics/680/2205

Dated: 18.09.2026

Request for Inviting Quotations (RFIQ)

For and on behalf of Shri Mata Vaishno Devi Shrine Board; through Chief Executive Officer (herein after referred as SMVDSB), offers are hereby invited under two (02) bids system from the firm for **Supply, Installation, Testing & Commissioning (SITC) of CCTV and allied accessories** as per the Specifications, Brands / Makes mentioned in **Annexure "A"** of RFIQ:

Schedule:

Date of Publishing of RFIQ	18.09.2026 at 1:30 PM
Download Start Date	18.09.2026 at 2:00 PM onwards
Bid Submission Start Date	18.09.2026 at 2:00 PM onwards
Bid Submission End Date (Online)	30.09.2026 upto 03:00 PM
Date of Opening of Technical Bid (Online)	01.10.2026 at 03: PM
Date of Opening of Financial Bid (Online)	Shall be intimated to the technically qualified bidders.

1. Procedure for submission of Bid:

Bidders are required to submit their bids under 2 bid system with Cover-I (Technical Bid) and Cover-II (Price Bid).

1. Cover-I (Technical Bid) This cover shall contain: -

- i. The participating firm shall have to furnish the EMD in the shape of CDR/FDR amounting to **Rs. 90,000/- (Rupees Ninty Thousand only)** pledged to AO, SMVDCS payable at Katra alongwith the offer. The participating firms may also deposit the EMD amount through NEFT/RTGS in the official A/c of Shri Mata Vaishno Devi Charitable Society Branch HDFC Bank Katra, Account No. **50100417566279, IFSC – HDFC0002344**. EMD in the shape of Demand Draft shall not be accepted. **Also, no exemption for non submission of EMD is allowed.**
- ii. It shall be noted that if any bidder did not enclose EMD (in original) of stipulated amount or furnish CDR/FDR of an amount less that the stipulated amount as mentioned, the bid/offer submitted by the firm shall be rejected outrightly and the rates of the said firm shall not be considered even after opening.
- iii. EMD will be released after complete supply of material. The same can be withheld / forfeited, in full, or in part, in case the supply order is not executed satisfactorily, within the stipulated period.
- iv. The EMD of the successful bidder shall be retained as Security Deposit which shall be released after the complete supply is received.
- v. The EMD of the unsuccessful bidders shall be released after the award of work to the successful bidder.
 - a. Copy of GST certificate
 - b. Data Sheets in respect of Camera and Switch.
 - c. RFIQ document **duly signed / stamped** on each leaf by the bidder.
 - d. Bidder's detail as per **Annexure "C"**

2. **Un-Price Bid:**

- a) The bidder shall have to quote rates as per BOQ & has to submit online in the form of BOQ only as per **Annexure-B**.
- b) The rates quoted shall be complete in all respect and include all taxes, excise duty, levies, service tax, transit insurance, freight, entry tax at Lakhanpur etc, FOR, Engineering Store, Banganga and installation at respective site(s). Nothing extra on any account shall be payable by the SMVD Shrine Board.
- c) The price bid should be absolute and unconditional.
- d) Conditional bids shall be rejected.
- e) The price bids of only such bidders shall be opened, who qualify in the technical stage.
- f) Price bids not conforming to above standards or suffering from any flaw shall be rejected.

2. **The participating bidder must ensure that only one quotation is submitted against a single PAN, irrespective of the number of GST registrations held. Any bidder found submitting more than one quotation against the same PAN shall be liable for rejection of bid and subsequently, debar from future dealings with SMVDSB for a period of three (03) years including forfeiture of EMD.**

3. **Conflict of Interest**

A bidder shall not have a Conflict of Interest with one or more bidders participating in this Request for Inviting Quotation (RFIQ). A Conflict of Interest shall be deemed to exist if a bidder:

- a) Directly or indirectly controls, is controlled by, or is under common-control with another bidder; or
- b) Has common proprietor(s), partner(s), director(s), legal representative(s), beneficial owner(s), or controlling interest with another bidder; or
- c) Submits more than one quotation under the same Permanent Account Number (PAN), irrespective of the number of Goods and Services Tax Identification Numbers (GSTINs), business verticals, or branches; or
- d) Directly or indirectly submits, or causes to be submitted, more than one quotation against this RFQ.

In the event of the existence of any of the above circumstances, all such quotations shall be liable to rejection and the Earnest Money deposit (EMD) shall be liable to forfeiture. Further, SMVDSB reserves the right to debar the concerned bidder(s) from participating in any procurement of SMVDSB for a period of three (03) years.

4. **Validity:**

The validity of quotation should be 90 days from the last date prescribed for submission.

5. Quantity mentioned in RFIQ is indicative and can be increased or decreased as per requirement.

6. **SITE VISIT / SITE INSPECTION:**

- i. Before participating in the RFIQ, bidders are advised to visit the site at **Shri Mata Vaishno Devi Narayana Hospital (SMVDNSH), Kakryal**, to acquaint themselves with the actual site conditions and assess the approximate quantities of **UTP CAT-6 Cable and OFC Cable** required to be installed. The Shrine Board shall bear no responsibility for any lack of knowledge on the part of the bidder regarding the site conditions, routing, access, installation requirements, or any other information relevant to the execution of the work.
- ii. The quantities assessed by the bidder during the site visit shall be treated as indicative for the purpose of bidding only. **The exact quantity of UTP CAT-6 Cable, OFC and other related materials to be installed shall be ascertained and confirmed by the IT Wing, Shri Mata Vaishno Devi Shrine Board (SMVDSB), before/during execution of the work, as per the actual site requirement.** The decision of the IT Wing, SMVDSB, regarding the final quantity and installation requirement shall be binding on the successful bidder.

- iii. Any consequences arising from a bidder's lack of knowledge of the site conditions or failure to properly assess the site shall be entirely at the risk and cost of the concerned bidder. The cost of any site visit, inspection, measurement, assessment, or related activity shall be borne entirely by the bidder. No compensation or additional payment shall be admissible on account of ignorance or failure to assess the site conditions or other relevant factors during execution of the work.

7. **Selection Criteria:**

The rate of the successful firm(s) shall be considered on an L-1 basis.

8. **Delivery / Completion Period:**

The SITC work shall be completed within a period of **20 days** from the date of issuance of Job Order(s) to be issued during the validity of Purchase order. Before participating, the competing firm must ensure that it has the capacity to meet the stipulated timeline criteria. The Shrine Board may or may not extend the delivery period.

9. The material to be supplied strictly should be from the brands / makes / specifications mentioned in the RFIQ. No change in the Brand / Make shall be accepted. Any change in the Brand / Make shall outrightly be rejected.
10. The Board reserves the right to establish reasonability of rates, to negotiate with the L-1 bidder.

11. **INSPECTION / LIFTING BACK OF REJECTED SUPPLIES:**

- a. On receipt, the material shall be inspected / checked by our Inspection Committee and if found of inferior quality/defective, the same will be rejected and the Board shall be at liberty to have the same procured from open market at the risk & cost of the supplier whereby the original supplier shall be liable to pay the extra cost, if any, involved in the process. The Competent Authority, however, may accept the replaced material within the delivery period if it conforms to the approved specifications.
- b. The rejected material shall have to be lifted by the supplier at his own risk and cost within a week's time, failing which storage charges @ 2% per day shall be imposed against the supplier for a period of one week. The penalty amount shall get doubled for each subsequent week and the rejected material in the stores shall be at the risk of the firm. Beyond one month the material shall be auctioned and storage charges shall be recovered from the supplier @2% per day. The amount acquired on account of auctioning shall be deposited to SMVDCS Account.

12. **Penalty:** Following penalties (calculated on the value of unsupplied material) shall be imposed for delay beyond the prescribed period, unless exempted by the competent authority for valid reasons to be brought on record.

- a) upto 4 days @ 0.5%
- b) From 5th day to 6th day @ 1%
- c) From 7th day to 8th day @ 1.5%
- d) From 9th day to 10th day @ 2%
- e) After 10 days of delay, the Job Order shall be deemed to have been cancelled to the extent of unsupplied material and the material shall be procured from alternative sources at risk and cost of vendor.

Note: Despite cancellation of Job Order as stated above; for any valid reason to be brought on record, the Competent Authority may grant extension in the stipulated delivery period; with or without penalty. (Amount to be decided by the Competent Authority).

13. **Warranty:**

- i. The successful firm shall provide onsite warranty of atleast 1 year on the applicable items.
- ii. The warranty shall start from the date of commissioning of CCTVs at Site.
- iii. The successful firm shall be responsible for providing Guarantee / Warranty to SMVDNSH on the supplied material. Warranty / Guarantee Certificate shall be furnished at the time of supply of material. The supplier shall be fully

responsible for any manufacturing defects and shall provide onsite warranty / guarantee service after sales.

14. Payment Terms:

- i. No Advance payment shall be made.
- ii. 90% payment shall be released after the successful installation and commissioning of work i.e. supply/installation/testing/commissioning (SITC) of CCTV Cameras and its allied accessories, subject to satisfactory report received from I/c IT Wing, SMVDSB.
- iii. Balance 10% payment shall be released after expiry of Warranty period of 01 year subject to satisfactory report received from I/c IT Wing.

15. Force Majeure:

Any failure or omission to carry out the provisions of the order shall not give rise to any claim by one party against the other, if such failure or omission arises from an "Act of God" which shall include all acts of Natural Calamities such as fire, flood, earthquakes, hurricanes, pandemics or any pestilences or from civil strikes, compliances with any statute or regulations of the Government lock outs and strikes, riots, embargoes or from any other reasons beyond the control of the parties.

16. Debarring

If the successful bidder fails to comply with the terms and conditions of the RFIQ after successful culmination of the RFIQ and placing of Job order, the firm shall be debarred from further dealing with SMVDSB for a period of 03 years.

17. Rights reserved by SMVDSB:

The Competent authority of SMVDSB reserves the right:

- i. To cancel/ terminate the RFIQ / Rate Approval Order / Job Order during the period of its validity without assigning any reason thereof.
- ii. To forfeit the EMD of defaulter supplier.
- iii. Grant of extension with or without imposing penalty, as deemed fit.
- iv. To visit the premises of the bidder to verify the production capacity of the bidder / quality of products.

18. This is just a RFIQ and not an Order.

19. The broad terms and conditions have been included. However, other standard terms and conditions of supply may be incorporated in the Rate Approval Order / Purchase Order to be issued in due course.

20. All disputes arising hereto are subject to jurisdiction of the Courts of Law at Katra / Reasi. The Arbitration proceedings shall be conducted as per "The Arbitration and Conciliation Act, 1996".

Sd/-

**(Vipan Bhagat) JKAS
Asstt. Chief Executive Officer**

Seal and Sign. of the firm

(Please read all the contents of the RFIQ before the submission of the quotation)



**Office of the Chief Executive Officer
Shri Mata Vaishno Devi Shrine Board, Katra**

RFIQ No. CO/Pur/Electronics/680/2205

**Annexure "A"
dated: 18.09.2026**

Material required to setup control rooms:-

Control Room-1 (Basement Area Hospital)		
S. No.	Description of items	Qty.
1.	NVR 32 Channels	01 No.
2.	10TB Hard Disk	01 No.
3.	LED 42 inch	02 Nos.
4.	24 Port Switch with uplink and SFP ports	01 No.
5.	16 ports Switch with uplink and SFP ports	01 No.
Control Room-2 (Arogya Bhawan)		
1.	NVR 32 Channels	01 No.
2.	10TB Hard Disk	01 No.
3.	LED 42 inch	02 Nos.
4.	24 Port Switch with uplink and SFP ports	01 No.
5.	16 ports Switch with uplink and SFP ports	01 No.
Control Room-3 (Ashwin Bhawan)		
1.	NVR 64 Channels	01 No.
2.	20TB Hard Disk	01 No.
3.	LED 42 inch	02 No.
4.	24 Port Switch with uplink and SFP ports	02 Nos.
5.	16 ports Switch with uplink and SFP ports	01 No.

Allied accessories to be installed at other locations including the above locations:-

S. No.	Description of items	Qty.
1.	PTZ Camera 2 MP	4 nos.
2.	2 MP Camera Bullet	109 nos.
3.	4 port POE Switch with SFP port	04 Nos.
4.	8 port POE Switch with SFP port	07 Nos.
5.	16 Port Switch and SFP ports	03 Nos.
6.	24 ports Switch and SFP ports	01 No.
7.	9U Indoor Rack	10 Nos.
8.	9U Outdoor Rack	05 Nos.
9.	UTP CAT 6 Cable 305 Mtr. Roll	As per Actual
10.	OFC Cable 12 Core	

Brand / Make:-

Item Description	Makes / Specification	Warranty (in months)
2 MP Camera Dome	Specifications as per Annexure – (I)	60
2 MP Camera Bullet	Specifications as per Annexure – (II)	60
PTZ Camera 2 MP	Specifications as per Annexure – (III)	60
UTP CAT 6 Cable 305 Mtr. Roll	Honeywell / D-Link / Molex	--
OFC Cable 12 Core		--
4 port POE Switch with SFP port	D-Link / Cisco / Fortinet / Ruckus	24
8 port POE Switch with SFP port		24
24 Port Switch with uplink and SFP ports		24
16 ports Switch with uplink and SFP ports		24
9U Indoor Rack	ValRack / Comrac / President	--

9U Outdoor Rack		--
NVR	Nuuo / Honeywell / Hanwha (Samsung)	24
Hard Disk	Seagate / WD / Toshiba	24
RJ 45 connector Box (100 pcs)	Honeywell / D-Link	--
SFP Transceiver	D-Link / Cisco	--
Mount + Clamp	Generic (Heavy Duty)	--
Power Extension Board		--
Joint Closure Box		--
UPS 1KVA	Min. 30 min. backup with 2yr complete warranty	24 (both on UPS and Battery)
HDPE Pipe 25mm dia with compatible HDPE coupler for jointing	Outer dia 25 mm PE-100 Grade SDR 13.6 Wall Thickness: 1.8–1.9 mm, Inner dia: 21.2–21.4 mm UV Stabilized, Inner Surface: Permanently Lubricated (PLB) / Low Friction Permanently Lubricated (PLB) Inner Surface	--
PVC Pipe 25mm dia	Rigid PVC Conduit Pipe (uPVC) Conforming to IS 9537 (part 3) Heavy Duty and Flame Retardant Low Smoke	--
HDMI Cables	Honeywell / D-Link	--

Bullet Camera - Technical Specifications:

Sr.No.	Parameter	Minimum Specifications
1	Image Sensor	1/2.8 Inch CMOS Progressive Scan or better
2	Resolution Range	1920 × 1080 pixels (2MP) or better
3	Frame Rate	2MP@25/30 FPS
4	Compression Standard	H.265
5	Lens	Lower Focal Length limit to be: 3mm - 3.4 mm or better Upper Focal Length Limit to be: 8mm - 10.5mm or better
6	Focus	Auto Focus and Zoom
7	IR Illumination	Minimum 20 m or better; integrated adaptive IR Illumination
8	Signal Noise Ratio	>=50 dB
9	Wide Dynamic Range (WDR)	120 dB
10	Video Streaming	Minimum 03 Streams (Compression: H.265 simultaneously or better)
11	Network Port	RJ45 10/100 Base T
12	IP Protection	IP66 and IK10
13	Image Settings	Color, Brightness, Sharpness, Contrast, White Balance, Backlight Compensation, Privacy Mask, Defog.
14	Video Analytics	Camera should have in-built Edge Based Analytics Video Motion Detection, Active Tampering Alarm/Shock Detection, Trip Zone, Abandoned Object, Intrusion Detection, Object Removal, Region Entrance Detection, Region Exiting Detection, Auto tracking, Crowd Management/Similar analytics on move
15	Event Trigger	Motion Detection, Edge Storage Events, External Input, Time Scheduled, Camera Tampering, Software Alarms.
16	Power	PoE Compliant as per IEEE 802.3at Class 4 & 12 V DC
17	Protocol	TCP, HTTP, HTTPS, SNMP, RSTP, SSL,TLS, 802.1x, DNS, ICMP, IP v4 & v6 Remote Administration: Remote configuration and status using web based tool, multicast / unicast.
18	Security	Security: IEEE 802.1x, IP Address Filter, Network authentication EAP/TLS, AES Encryption minimum 128 keys Onboard Cyber Security Chip like Trusted Platform Module / Public Key Infrastructure Camera Mac Address should be of same Camera OEM. NDAA or NIST or Better
19	Other features	ONVIF Compatible:ONVIF Profile S,G & T Compatible or better
20	Operating Temperature	- 20° to 55° C
21	Operating Humidity	Upto 90% RH (non-condensable)
22	Certification	Certification: UL (60950),CE, EN & FCC
23	Web Interface	Camera should have Web Interface to configure and control

Dome Camera - Technical Specifications

Sr.No.	Parameter	Minimum Specifications
1	Image Sensor	1/2.8 Inch CMOS Progressive Scan or better
2	Resolution Range	1920 x 1080 pixels (2MP) or better
3	Frame Rate	30 FPS
4	Compression Standard	H.265
5	Lens	Lower Focal Length limit to be: 3mm - 3.4 mm or better Upper Focal Length Limit to be: 8mm - 10.5mm or better
6	Focus	Auto Focus and Zoom
7	IR Illumination	Minimum 20 m or better; integrated adaptive IR Illumination
8	Signal Noise Ratio	>=50 dB
9	Wide Dynamic Range (WDR)	120 dB
10	Video Streaming	Minimum 03 Streams (Compression: H.265 simultaneously or better)
11	Network Port	RJ45 10/100 Base T
12	IP Protection	IP66 and IK10
13	Image Settings	Color, Brightness, Sharpness, Contrast, White Balance, Backlight Compensation, Privacy Mask, Defog.
14	Video Analytics	Camera should have in-built Edge Based Analytics i.e., Video Motion Detection, Camera Tampering Alarm, Trip Zone, Intrusion Detection, Region Entrance Detection, Region Exiting Detection.
15	Event Trigger	Motion Detection, Edge Storage Events, External Input, Time Scheduled, Camera Tampering, Software Alarms.
16	Power	PoE Compliant
17	Protocol	TCP, HTTP, HTTPS, SNMP, RTSP, SSL,TLS, 802.1x,DNS, ICMP, IP v4 & v6 Remote Administration: Remote configuration and status using web based tool, multicast / unicast.
18	Security	IEEE 802.1x, IP Address Filter Network authentication EAP/TLS AES Encryption minimum 128 keys Onboard Cyber Security Chip like Trusted Platform Module/ Public Key Infrastructure Camera Mac Address should be of same Camera OEM BIS Complied. NDAA or NIST or Better
19	Other features	ONVIF Compatible
20	Operating Temperature	0° to 50°C
21	Operating Humidity	Upto 85% RH (non-condensable)
22	Certification	UL (60950),CE, EN & FCC
23	Web Interface	Camera should have Web Interface to configure and control

PTZ Camera 2 MP (Out Door Application) - Technical Specifications

Sr. No.	Parameter	Minimum Specifications
1	Image Sensor	1/2.8 Inch CMOS Progressive Scan or better
2	Resolution Range	1920X1080 in 16:9 format or better
3	Frame Rate	50/60 FPS
4	Compression Standard	H.265 or latest
5	Lens	Lower Focal Length limit to be: 4-7 mm or better Upper Focal Length Limit to be: 130-250 or better
6	Optical Zoom	30x or better
7	Digital Zoom	12x or better
8	IRIS Control	Auto
9	Preset	256 or better
10	Tours	Minimum 04
11	Preset Accuracy	+/- 0.2°
12	Pan & Tilt Speed (Manual)	120° per second for Pan and 90° per second for Tilt
13	Protocol	TCP, HTTP, HTTPS, SNMP, RTSP, SSL.TLS, 802.1x, DNS, ICMP, IP v4 & v6 Remote Administration: Remote configuration and status using web based tool, multicast /unicast.
14	Intelligent Tracking	Auto & Manual
15	Signal Noise Ratio	>=50 dB
16	Back light Compensation	Auto Control
17	Video Streaming	Minimum 03 Streams ,Compression : H.265
18	Pan Movement	360° continuous Pan Rotation
19	Tilt Angle	+20° to -90° or better
20	Security	IEEE 802.1x, IP Address Filter Network authentication EAP/TLS AES Encryption minimum 128 keys / Public Key Infrastructure Camera Mac Address should be of same Camera OEM, NDAA or NIST or Better
21	Wide Dynamic Range (WDR)	120 dB
22	Network Port	RJ45 10/100 Base T
23	IP Protection	IP66, NEMA4 and IK10 or better
24	Image Settings	Color, Brightness, Sharpness, Contrast, White Balance, Backlight Compensation, Privacy Mask, Defog.
25	Video Analytics	Camera should have in-built Edge Based Analytics Video Motion Detection, Active Tampering Alarm, Trip Zone, Abandoned Object, Intrusion Detection, Object Removal, Region Entrance Detection, Region Exiting Detection, Object Counting, Auto tracking, Crowd Management/Similar analytics on move
26	Event Trigger	Motion Detection, Edge Storage Events, External Input, Time Scheduled, Camera Tampering / Shock Detection, Software Alarms.
27	Power	POE+/High POE Compliant
28	Other features	ONVIF S,G & T Compatible, SFP Interface in camera or accessories
29	Operating Temperature	- 20° to 60° C
30	Operating Humidity	Upto 90% RH (non-condensable)
31	IR Illumination	180 meter and better.
32	Web Interface	Camera should have Web Interface to configure and control
33	Edge Storage	Pre-installed minimum storage capacity of 256 GB or more & support upto minimum 1 TB SD Card.

UN-PRICE BID**(on the Letter Head of the Firm)**

To,

**The Asstt. Chief Executive Officer (VB),
Shrine Mata Vaishno Devi Shrine Board,
Katra.**

Subject: Quotation for entering into SITC of CCTVs alongwith allied accessories.

Ref. CO/Pur/Electronics/680/2205 dated: 18.09.2026

I, _____ representative / proprietor of
M/s _____ hereby submit my following rates as
per specification / UOM / / requirement of Shrine Board. The offered rates are NET
inclusive of GST / other taxes and F.O.R at Engg. Store Banganga and Installation,
Testing & Commissioning at respective Site(s) are as under:

Description of Item	Net Rate inclusive of all taxes, and SITC at SITE.
SITC of CCTV and allied accessories at SMVDNSH, Kakryal	

Notwithstanding anything mentioned in our price bid, we hereby accept all the terms & conditions mentioned in the RFIQ which are being signed in token of my acceptance. We hereby undertake and confirm that I / we have understood the specifications properly and shall supply the material as per the required / higher specifications to SMVDSB.

I further affirm that in case, I fail to abide-by the conditions or upto the entire satisfaction of the Shrine Board; I shall be liable to the penalties under rules. I further hereby declare that my firm is not blacklisted.

Seal & Signature _____
M/s _____
Contact Person: _____
Contact Number: _____
E-mail ID: _____

(ON THE LETTER HEAD OF THE FIRM)**BIDDER'S DETAIL**

Name of the Supplier / Party / Firm	
Name of the Authorized Representative	
Mailing Address:	
Phone/Landline No	
Mobile No.	
Fax No.	
E-mail Address	
Website Address (if any)	
Bank details for payment through NEFT / RTGS	Name of the Bank:
	Branch
	Account No
	IFSC Code
	MICR No

Note: Also upload a cancelled cheque for verification of above bank details.

Seal and Signature of the bidder

Place:

Date: