



**OFFICE OF THE CHIEF EXECUTIVE OFFICER,
SHRI MATA VAISHNO DEVI SHRINE BOARD,**

Central Office, Ja.mmu Road, Katra (J&K) – 182301

E-mail: aceovb@maavaishnodevi.net, purchase_sec@maavaishnodevi.net

Request For Inviting Quotation (RFIQ)

RFIQ No. CO/Pur/Electronics/26/310-IX/2156

Dated: 15.09.2026

For and on behalf of the Shri Mata Vaishno Devi Shrine Board, through Chief Executive Officer, Offers under **two (02) bids system** are invited from authorized distributors / dealers for supply of Misc. IT items as per the Specifications, Brands / Makes mentioned in **Annexure “A”**, which shall remain **valid for a period of six (06) months from the date of issuance of Rate Approval Order.**

The RFIQ consisting of Qualifying Information, Eligibility Criteria, Specifications, Bill of Quantities, (B.O.Q), set of Terms & Conditions of RFIQ and other details can be seen / downloaded from the website:- <http://jktenders.gov.in> & on SMVDSB website www.maavaishnodevi.org as per following schedule:

Date of Publishing of RFIQ	15.09.2026 at 04.00PM
Download Start Date	15.09.2026 at 04.30PM onwards
Bid Submission Start Date	15.09.2026 at 04.30PM onwards
Bid Submission End Date (Online)	28.09.2026 at 04.30PM
Date of Opening of Technical Bid (Online)	29.09.2026 at 04.30PM
Date of Opening of Financial Bid (Online)	Shall be intimated to the technically qualified bidders.

The Bids shall be deposited in Electronic Format on the e-tender portal i.e. www.jktenders.gov.in and should be submitted strictly in accordance with the provisions of the detailed RFIQ. **Complete bidding process will be done online on e-tender portal www.jktenders.gov.in only.**

However, the RFIQ document is also available on the official website of SMVDSB i.e. www.maavaishnodevi.org for reference purpose only.

Earnest Money Deposit (EMD):

- i. Earnest Money Deposit amounting to **₹ 60,000/- (Rupees Six Thousand only)** shall be paid in the shape of **CDR /FDR** drawn from any Nationalized / Scheduled Bank duly pledged to the FA & CAO, SMVDSB.
- ii. Alternatively, the bidders may also transfer the required amount on account of EMD in online mode (**IMPS / NEFT / RTGS**) in the following account of the Shrine Board:

Account No.	:	<u>0097010100000706</u>
Type of Account	:	<u>SB</u>
Banker	:	<u>Jammu and Kashmir Bank Ltd.</u>
Branch	:	<u>Main Branch Katra</u>
IFSC Code	:	<u>JAKA0KATTRA</u>
Title of Account	:	<u>Shri Mata Vaishno Devi Shrine Board</u>

CDR/ FDR (in original) must be submitted in Purchase Section, Central Office, Katra on or before bid submission end date. **In case of online transfer**, the print-copy of screenshot of transaction must be uploaded on the tendering portal only. **In addition, the full details of**

the Bank Account from which the transaction has been made shall have to written on the body of the Transaction Screenshot. The transaction to the account specified above shall only be accepted. **The transaction made to any other account of Shrine Board shall be treated as failure to deposit the prescribed EMD.**

No document shall be submitted to SMVDSB in physical form except the EMD.

**Sd/-
(Vipan Bhagat) JKAS
Asstt. Chief Executive Officer**

No. CO/Pur/Electronics/26/310-IX/2156

Dated: 15.09.2026

Instruction to bidders regarding e-tendering process:-

1. The interested bidder can download the RFIQ document from the website **www.jktenders.gov.in** and **www.maavaishnodevi.org**.
2. Before starting the bidding process, bidders are advised to carefully read the Instructions, Terms and Conditions mentioned in the Document online on e-tendering portal i.e. **www.jktenders.gov.in**.
3. The bidders, in their own interest, are requested not to wait till the last moment for submission of bid to avoid last minute rush and local problems related to internet connectivity, law and order, strike, closure of establishments etc. The SMVDSB shall not be responsible, if bids could not be uploaded due to such problems at the bidders' end.
4. The bidders must possess valid Digital Signature Certificate (DSC) issued from any agency authorized by Controller of Certifying Authority (CCA), Govt. of India and which can be traced up to the chain of trust to the Root Certificate of CCA. Bidders can get above mentioned digital certificate from any approved vendors.
5. The Bidders, who already possess valid (DSC) Digital Signature Certificates, need not to procure new Digital Signature Certificate.
6. The offer should be submitted (uploaded) strictly as per the terms and conditions and procedures laid down in the website failing which the offer is liable for rejection. Bidders should download the complete RFIQ including the Annexure and read carefully before filling the details and uploading the documents.
7. The offers with any deviations to the RFIQ's terms and conditions shall be liable for rejection.
8. The Technical Bids shall be opened online.
9. Only Financial Bids of technically qualified bidders shall be opened online.
10. The bidders have to submit their bids online in electronic format with Digital Signature. The bids cannot be uploaded without Digital Signature. No Proposal will be accepted in physical form.
11. Bids will be opened online as per time schedule mentioned in the RFIQ.
12. Before submission of online bids, bidders must ensure that scanned copies of all the necessary documents have been attached with bid.
13. SMVDSB will not be responsible for delay in online submission of bids whatsoever reasons may be.
14. All the required information for bid must be filled and submitted online.
15. The details of EMD specified in the RFIQ document should be the same, as submitted online (scanned copies) otherwise bid will not be accepted.
16. Bidders are advised to use "My Documents" area in their user on **<http://jktenders.gov.in>**, e-tendering portal to store important documents like Balance sheet, GST Registration Certificate, OEM or authorization certificate and other related documents etc., and attach these certificates as Non-Statutory documents while submitting their bids.
17. Bidders are advised not to make any change in BOQ (Bill of Quantities) contents or its name. In no case they should attempt to create similar BOQ manually. The BOQ downloaded should be used for filling the item rate as prescribed and it should be saved with the same as it contains.
18. Bidders are advised to scan their documents at 100 DPI (Dots per Inch) resolutions with Black and White, PDF \ Scan properly.
19. The guidelines for submission of bid online can be downloaded from the website **<http://www.jktenders.gov.in>** and **www.maavaishnodevi.org**.
20. SMVDSB shall not be held responsible for selection criteria/policy matter being adopted by the Directorate of Information regarding publishing the RFIQ, in any of the newspaper under circulation.
21. The tenderer should carefully study the document and prepare his tender with consideration of all provisions of the document. He should fully acquaint himself with site conditions and all other factors which may influence preparation of his tender.

Sd/-
(Vipan Bhagat) JKAS
Asstt. Chief Executive Officer



**Office of the Chief Executive Officer
Shri Mata Vaishno Devi Shrine Board, Katra**

No.CO/Pur/Electronics/26/310-IX/2156

Dated: 15.09.2026

Request for Inviting Quotation (RFIQ)

For and on behalf of the Shri Mata Vaishno Devi Shrine Board, through Chief Executive Officer, Offers under **two (02) bids system** are invited from authorized distributors / dealers for supply of Misc. IT items as per the Specifications, Brands / Makes mentioned in **Annexure "A"**, which shall remain **valid for a period of six (06) months from the date of issuance of Rate Approval Order.**

Schedule:

Date of Publishing of RFIQ	15.09.2026 at 04.00PM
Download Start Date	15.09.2026 at 04.30PM onwards
Bid Submission Start Date	15.09.2026 at 04.30PM onwards
Bid Submission End Date (Online)	28.09.2026 at 04.30PM
Date of Opening of Technical Bid (Online)	29.09.2026 at 04.30PM
Date of Opening of Financial Bid (Online)	Shall be intimated to the technically qualified bidders.

1. Procedure for submission of Bid:

Bidders are required to submit their bids under 2 bid system with Cover-I (Technical Bid) and Cover-II (Price Bid).

A. Cover-I (Technical Bid) This cover shall contain: -

i) Earnest Money Deposit.

- a) EMD amounting to **₹ 60,000/- (Rupees Six Thousand only)** shall be paid in the shape of **CDR /FDR** drawn from any Nationalized / Scheduled Bank duly pledged to the FA & CAO, SMVDSB.
- b) Alternatively, the bidders may also transfer the required amount on account of EMD in online mode (**IMPS / NEFT / RTGS**) in the following account of the Shrine Board:

Account No. : 0097010100000706
Type of Account : SB
Banker : Jammu and Kashmir Bank Ltd.
Branch : Main Branch Katra
IFSC Code : JAKA0KATTRA
Title of Account : Shri Mata Vaishno Devi Shrine Board

In case of online transfer, the print-copies of screenshots of transaction must be uploaded on the tendering portal only. **In addition, the full details of the Bank Account from which the transaction has been made shall have to written on the body of the Transaction Screenshot.** The transaction to the account specified above shall only be accepted. **The transaction made to any other account of Shrine Board shall be treated as failure to deposit the prescribed EMD.**

- c) Furnishing of EMD for an amount less than the stipulated amount mentioned in the RFIQ or quoting the exemption as Small Scale Industries or any other reason shall not be entertained and the bid / offer submitted by the firm shall be rejected outrightly. The bid will be considered of only those firms who had submitted requisite EMD.

- d) The successful firm(s) shall deposit an amount equivalent to 5% of the contract value, which shall be released after completion of supply in the stipulated delivery period as per the purchase order issue in future subject to NOC of ES, Banganga.
- e) The EMD of the successful bidders shall be released after deposit of said security deposit by the firm.
- f) The EMD of the unsuccessful bidders shall be released after the award of work to the successful bidder.
- ii) Copy of GST certificate
- iii) OEM or its authorized Distributor / Dealer Certificate (wherever applicable) shall be submitted along with the quotation.
- iv) Data Sheets in respect of Cameras, NVR and Switches along with the offer. Failure to submit the same may lead to rejection of the bid at any stage, even after bid opening.
- v) RFIQ document **duly signed / stamped** on each leaf by the bidder.
- vi) Bidder's detail as per **Annexure "C"**

B. Un-Price Bid:

- a) The bidder shall have to quote rates as per BOQ & has to submit online in the form of BOQ only as per **Annexure-B**.
 - b) The rates quoted shall be complete in all respect and include all taxes, excise duty, levies, service tax, transit insurance, freight, entry tax at Lakhanpur etc, FOR, Engineering Store, Banganga. Nothing extra on any account shall be payable by the SMVD Shrine Board.
 - c) The price bid should be absolute and unconditional.
 - d) Conditional bids shall be rejected.
 - e) The price bids of only such bidders shall be opened, who qualify in the technical stage.
 - f) Price bids not conforming to above standards or suffering from any flaw shall be rejected.
2. *The participating bidder must ensure that only one bid is submitted against a single PAN, irrespective of the number of GST registrations held. Any bidder found submitting more than one bid against the same PAN shall be liable for rejection of bid and subsequently, debar from future dealings with SMVDSB for a period of three (03) years including forfeiture of EMD.*

3. **Conflict of Interest**

A bidder shall not have a Conflict of Interest with one or more bidders participating in this Request for Inviting Bid (RFIQ). A Conflict of Interest shall be deemed to exist if a bidder:

- a) Directly or indirectly controls, is controlled by, or is under common-control with another bidder; or
- b) Has common proprietor(s), partner(s), director(s), legal representative(s), beneficial owner(s), or controlling interest with another bidder; or
- c) Submits more than one bid under the same Permanent Account Number (PAN), irrespective of the number of Goods and Services Tax Identification Numbers (GSTINs), business verticals, or branches; or
- d) Directly or indirectly submits, or causes to be submitted, more than one bid against this RFQ.

In the event of the existence of any of the above circumstances, all such bids shall be liable to rejection and the Earnest Money deposit (EMD) shall be liable to forfeiture. Further, SMVDSB reserves the right to debar the concerned bidder(s) from participating in any procurement of SMVDSB for a period of three (03) years.

4. **Validity:**

The validity of bid should be 90 days from the last date prescribed for submission.

5. Quantity mentioned in RFIQ is indicative and can be increased or decreased as per requirement.
6. **Before submitting the bid, the participating firms shall ensure that sufficient stock is available with them.**
7. **Selection Criteria:**
The rate of the successful firm(s) shall be considered on an L-1 basis separately for each item(s).
8. **Delivery:**
The material shall be delivered within 20 days from the date of issuance of Purchase Order. Before participating, the competing firm must ensure that it has the capacity to meet the delivery period criteria. The Shrine Board may or may not extend the delivery period.
9. The material to be supplied strictly should be from the brands / makes / specifications mentioned in the RFIQ. No change in the Brand / Make shall be accepted. Any change in the Brand / Make shall outrightly be rejected.
10. The Board reserves the right to establish reasonability of rates, to negotiate with the L-1 bidder.
11. **INSPECTION / LIFTING BACK OF REJECTED SUPPLIES:**
 - a. On receipt, the material shall be inspected / checked by our Inspection Committee and if found of inferior quality/defective, the same will be rejected and the Board shall be at liberty to have the same procured from open market at the risk & cost of the supplier whereby the original supplier shall be liable to pay the extra cost, if any, involved in the process. The Competent Authority, however, may accept the replaced material within the delivery period if it conforms to the approved specifications.
 - b. The rejected material shall have to be lifted by the supplier at his own risk and cost within a week's time, failing which storage charges @ 2% per day shall be imposed against the supplier for a period of one week. The penalty amount shall get doubled for each subsequent week and the rejected material in the stores shall be at the risk of the firm. Beyond one month the material shall be auctioned and storage charges shall be recovered from the supplier @2% per day. The amount acquired on account of auctioning shall be deposited to SMVDSB Account.
12. **Penalty:** Following penalties (calculated on the value of unsupplied material) shall be imposed for delay beyond the prescribed period, unless exempted by the competent authority for valid reasons to be brought on record.
 - a) upto 4 days @ 0.5%
 - b) From 5th day to 6th day @ 1%
 - c) From 7th day to 8th day @ 1.5%
 - d) From 9th day to 10th day @ 2%
 - e) After 10 days of delay, the Purchase Order shall be deemed to have been cancelled to the extent of unsupplied material and the material shall be procured from alternative sources at risk and cost of vendor.

Note: Despite cancellation of Purchase Order as stated above; for any valid reason to be brought on record, the Competent Authority may grant extension in the stipulated delivery period; with or without penalty. (Amount to be decided by the Competent Authority).
4. **Warranty:**
 - a) The successful firm shall provide warranty as mentioned against each items in **Annexure "A"**.
 - b) The warranty shall start from the date of receipt of material at Engineering Store, Banganga, Katra.
 - c) The successful firm shall be responsible for providing Guarantee / Warranty of the supplied material to SMVDSB during the Rate Approval Contract Period.
 - d) The successful firm shall be responsible for providing Guarantee / Warranty to SMVDSB on the supplied material. Warranty Certificate shall be furnished at the time

of supply of material. The supplier shall be fully responsible for any manufacturing defects and shall provide onsite warranty / guarantee service after sales.

13. **Payment:**

- a) No Advance payment shall be made
- b) The payment shall be made after receipt and inspection / acceptance of complete item against a Purchase Order, at the Engineering Store, Banganga within a period of 20 days from the date of issuance of GR.

14. **Force Majeure:**

Any failure or omission to carry out the provisions of the order shall not give rise to any claim by one party against the other, if such failure or omission arises from an "Act of God" which shall include all acts of Natural Calamities such as fire, flood, earthquakes, hurricanes, pandemics or any pestilences or from civil strikes, compliances with any statute or regulations of the Government lock outs and strikes, riots, embargoes or from any other reasons beyond the control of the parties.

15. **Debarring**

If the successful bidder fails to comply with the terms and conditions of the RFIQ after successful culmination of the RFIQ and placing of Job order, the firm shall be debarred from further dealing with SMVDSB for a period of 03 years.

16. **Rights reserved by SMVDSB:**

The Competent authority of SMVDSB reserves the right:

- i. To cancel/ terminate the RFIQ / Purchase Order / Rate Approval Order during the period of its validity without assigning any reason thereof.
- ii. To forfeit the EMD of defaulter supplier.
- iii. Grant of extension with or without imposing penalty, as deemed fit.

17. This is just a RFIQ and not an Order.

18. The broad terms and conditions have been included. However, other standard terms and conditions of supply may be incorporated in the Rate Approval Order / Purchase Order to be issued in due course.

19. All disputes arising hereto are subject to jurisdiction of the Courts of Law at Katra / Reasi. The Arbitration proceedings shall be conducted as per "The Arbitration and Conciliation Act, 1996".

Sd/-

(Vipan Bhagat) JKAS
Asstt. Chief Executive Officer

Seal and Sign. of the firm

(Please read all the contents of the RFIQ before the submission of the bid)



**Office of the Chief Executive Officer
Shri Mata Vaishno Devi Shrine Board, Katra**

Annexure “A”

RFIQ No. CO/Pur/Electronics/26/310-IX/2156

dated: 15.09.2026

S. No.	Description of items	Brand / Make	Warranty period in months	Tentative req. for 6 months
1.	HDD External (1TB, USB 3.0, 5400 RPM)	Seagate / Toshiba / WD / Consistent	36	10
2.	HDD for Desktop – SATA (Internal, 1TB, 5400 RPM)		36	10
3.	SSD for Desktop (Internal, 500 GB)		12	10
4.	Internal SSD 250 GB		12	20
5.	Pen drive 16 GB, USB 3.0, Metal Body	Sandisk / HP / Toshiba / i-best / Samsung	12	50
6.	Pen drive 32 GB, USB 3.0, Metal Body		12	60
7.	Pen Drive 64GB, USB 3.0 Metal Body		12	20
8.	Pen Drive 128GB, USB 3.0 Metal Body		12	20
9.	Memory card Extreme Pro 128 GB		12	20
10.	Memory card Extreme Pro 256 GB		12	20
11.	Memory card Extreme Pro 512 GB		12	20
12.	Mouse USB 3.0 wired	HP / DELL / Logitech	12	30
13.	Keyboard USB 3.0 wired		12	20
14.	Mouse Wireless 2.4 Ghz, USB 3.0		12	20
15.	Keyboard Wireless 2.4 GHz, USB 3.0		12	20
16.	Key board TVS Gold	TVS	12	20
17.	Wifi Router with minimum 4 ports (Dual Bank Frequency 2.4 GHz / 5 GHz)	TP-Link / Tenda / D-Link / Digisol	12	20
18.	Wireless USB Adapter “N” Series	D-Link / Digisol	12	30
19.	Switch 4 port (PoE+ Switch 4 port) (10/100/1000 Mbps) Manageable		12	10
20.	Switch 8 port (PoE+ Switch 4 port) (10/100/1000 Mbps) Manageable		12	10
21.	Switch 16 port (PoE+ Switch 4 port) (10/100/1000 Mbps) Manageable		12	3
22.	Switch 24 port (PoE+ Switch 4 port) (10/100/1000 Mbps) Manageable		12	3
23.	Monitor TFT / LED 21.5”	HP	12	20
24.	Thermal Printer 3160 Gold	TVSE	12	15
25.	Wireless QR Code Scanners (Bsi201s)		12	20
26.	Cartridge of 136 column TVSE printer		-	50
27.	UTP Cat 6 Cable (305 Mtr. roll)	Honeywell / D-Link / Digisol	-	10
28.	UTP Cat 6 Cable - Armored (305 Mtr. roll)		-	10
29.	CMOS Lithium Battery for M/Board 3V CR 2032	Panasonic / Maxwell	-	60
30.	RJ-45 connector	D-Link / Digisol	-	600
31.	RAM – DDR4 for Desktop Computer (4 GB capacity, 3200MHz)	Hynix / Samsung / Crucial / Kingston	12	10
32.	RAM – DDR4 for Desktop Computer (8 GB capacity, 3200MHz)		36	10
33.	RAM – DDR3 for Desktop Computer (4 GB capacity, 1600 MHz)		36	20
34.	Ram 2 GB (DDR3) for Desktop Computer		12	10
35.	Ram 2 GB (DDR2) for Desktop Computer		12	10
36.	Antivirus with Total Protection	E-scan / Quick heal	-	60
37.	LAN Crimping Tool	Generic	-	5
38.	LAN Tester		-	5
39.	Mouse Pad (Antiskid) – Small		-	50
40.	Cable Wire Stripping Tool		-	5
41.	Plier		-	5
42.	LAN Patch Cord Cable (3mtr. length)		-	30
43.	USB Extension (1.5mtr. length)		-	10
44.	SMPS for Desktop Computer		12	20

45.	4 port USB Hub (3.0)	Generic	3	5
46.	Cable HDMI to HDMI (2mtr.)		3	15
47.	Cable HDMI to HDMI (5mtr.)		3	5
48.	DP to HDMI cable for Desktop		3	20
49.	HDMI Cable 15 mtr.		-	10
50.	HDMI Splitter		-	10
51.	HD to AV Converter		-	10
52.	DP to DP Cable for Desktop Computer		3	20
53.	USB A to USB B Cable for Printers		3	30
54.	Power Cable (for Printer, Desktop etc.)		-	30
55.	USB Type A to Type C		-	30
56.	Compact Disk - RW	Superior Quality / Heavy Duty	-	100
57.	Compact Disk - R		-	100
58.	Punching Tool for Cat 6 Cable		-	5
59.	UPS 1 KVA Line Interactive (Backup of atleast 30 minutes) (Warranty: 2 year on UPS and 2 year on Battery)		-	20
60.	IP based 2 /3 MP Bullet Camera	As per specifications mentioned at Annexure A (I, II & III)	60	20
61.	IP based 2/3 MP Dome Camera		60	20
62.	IP based 2/3 MP PTZ Camera		60	20
63.	NVR 4 Channel	Nuuo / Honeywell / Hanwha (Samsung)	24	20
64.	NVR 8 Channel		24	10
65.	NVR 16 Channel		24	10
66.	NVR 32 Channel		24	10
67.	Network Rack 6U	ValRack / Comrack / President	--	10
68.	Network Rack 9U		--	10
69.	OFC Armoured 2 core	Honeywell/ D-Link/ Digisol	--	10
70.	OFC Armoured 4 core		--	10
71.	Optical Fiber Cable 24 core (Armored) in Meters		--	5 rolls (305 mtr. / roll)
72.	Optical Fiber Cable 12 core (Armored) in meters		--	5 rolls (305 mtr. / roll)
73.	HDPE Pipe	Generic (Heavy Duty)	--	As per Site requirement
74.	PVC Conduit Pipe		--	
75.	Extension Board		--	10
76.	PVC Box		--	10
77.	PVC Rack		--	10
78.	RF devices (PTP/PTMP)	Ligo	12	10
79.	PoE Adaptor for RF devices		6	10
80.	Ink Bottles for DCP-T80 DW Ink Tank Printer – Complete Set (BT5000C – Black, BT5000Y – Yellow and BT5000M – Magenta)	Brother (original only)	12	5
81.	Toner cart. For Brother Printer DCP-7600 DB Complete Set (Black, Cyan, Yellow and Magenta)		12	5
82.	Ink Bottle for Epson L14150 Ink Tank Printer – Complete Set (C13T03Y100 – Black, C13T03Y298 – Cyan, C13T03Y398 – Yellow and C13T03Y498 – Magenta)	Epson (original only)	12	5
83.	Ink Bottle for Epson L1250 Ink Tank Printer – Complete Set (Black, Cyan, Yellow and Magenta)		12	5
84.	Ink Bottle for Epson L6170 Ink Tank Printer – Complete Set (Black, Cyan, Yellow and Magenta)		12	5
85.	Ink Bottle for Epson L4260 Ink Tank Printer – Complete Set (Black, Cyan, Yellow and Magenta)		12	5
86.	Ink Bottle for Epson L6270 Ink Tank Printer – Complete Set (Black, Cyan, Yellow and Magenta)		12	5
87.	Ink Bottles for Canon G3010 – Complete Set (Black, Cyan, Yellow, Magenta)	Canon (original only)	12	5
88.	Ink Bottles for Canon G4010 – Complete Set (Black, Cyan, Yellow, Magenta)		12	5

Sd/-
(Vipan Bhagat) JKAS
Asstt. Chief Executive Officer

Annexure –A (I)**1. Bullet Camera - Technical Specifications:**

Sr. No.	Parameter	Minimum Specifications
1	Image Sensor	1/2.8 Inch CMOS Progressive Scan or better
2	Resolution Range	1920 × 1080 pixels (2MP) or better
3	Frame Rate	2MP@25/30 FPS
4	Compression Standard	H.265
5	Lens	Lower Focal Length limit to be: 3mm - 3.4 mm or better Upper Focal Length Limit to be: 8mm - 10.5mm or better
6	Focus	Auto Focus and Zoom
7	IR Illumination	Minimum 20 m or better; integrated adaptive IR Illumination
8	Signal Noise Ratio	>=50 dB
9	Wide Dynamic Range (WDR)	120 dB
10	Video Streaming	Minimum 03 Streams (Compression: H.265 simultaneously or better)
11	Network Port	RJ45 10/100 Base T
12	Edge Storage	Pre-installed minimum storage capacity of 256 GB or more & support upto minimum 1 TB SD Card.
13	IP Protection	IP66 and IK10
14	Image Settings	Color, Brightness, Sharpness, Contrast, White Balance, Backlight Compensation, Privacy Mask, Defog.
15	Video Analytics	Camera should have in-built Edge Based Analytics Video Motion Detection, Active Tampering Alarm/Shock Detection, Trip Zone, Abandoned Object, Intrusion Detection, Object Removal, Region Entrance Detection, Region Exiting Detection, Auto tracking, Crowd Management/Similar analytics on move
16	Event Trigger	Motion Detection, Edge Storage Events, External Input, Time Scheduled, Camera Tampering, Software Alarms.
17	Power	PoE Compliant as per IEEE 802.3at Class 4 & 12 V DC
18	Protocol	TCP, HTTP, HTTPS, SNMP, RSTP, SSL/TLS, 802.1x, DNS, ICMP, IP v4 & v6 Remote Administration: Remote configuration and status using web based tool, multicast / unicast.
19	Security	Security: IEEE 802.1x, IP Address Filter, Network authentication EAP/TLS, AES Encryption minimum 128 keys Onboard Cyber Security Chip like Trusted Platform Module / Public Key Infrastructure Camera Mac Address should be of same Camera OEM. NDAA or NIST or Better
20	Other features	ONVIF Compatible: ONVIF Profile S, G & T Compatible or better
21	Operating Temperature	- 20° to 55° C
22	Operating Humidity	Upto 90% RH (non-condensable)
23	Certification	Certification: UL (60950), CE, EN & FCC
24	Web Interface	Camera should have Web Interface to configure and control

Sd/-**(Vipan Bhagat), JKAS
Asstt. Chief Executive Officer**

2. Fixed Dome Camera - Technical Specifications

Sr. No.	Parameter	Minimum Specifications
1	Image Sensor	1/2.8 Inch CMOS Progressive Scan or better
2	Resolution Range	1920 x 1080 pixels (2MP) or better
3	Frame Rate	30 FPS
4	Compression Standard	H.265
5	Lens	Lower Focal Length limit to be: 3mm - 3.4 mm or better Upper Focal Length Limit to be: 8mm - 10.5mm or better
6	Focus	Auto Focus and Zoom
7	IR Illumination	Minimum 20 m or better; integrated adaptive IR Illumination
8	Signal Noise Ratio	>=50 dB
9	Wide Dynamic Range (WDR)	120 dB
10	Video Streaming	Minimum 03 Streams (Compression: H.265 simultaneously or better)
11	Network Port	RJ45 10/100 Base T
12	Edge Storage	Pre-installed minimum storage capacity of 256 GB or more & support upto minimum 1 TB SD Card.
13	IP Protection	IP66 and IK10
14	Image Settings	Color, Brightness, Sharpness, Contrast, White Balance, Backlight Compensation, Privacy Mask, Defog.
15	Video Analytics	Camera should have in-built Edge Based Analytics i.e., Video Motion Detection, Camera Tampering Alarm, Trip Zone, Intrusion Detection, Region Entrance Detection, Region Exiting Detection.
16	Event Trigger	Motion Detection, Edge Storage Events, External Input, Time Scheduled, Camera Tampering, Software Alarms.
17	Power	PoE Compliant
18	Protocol	TCP, HTTP, HTTPS, SNMP, RTSP, SSL, TLS, 802.1x, DNS, ICMP, IP v4 & v6 Remote Administration: Remote configuration and status using web based tool, multicast / unicast.
19	Security	IEEE 802.1x, IP Address Filter Network authentication EAP/TLS AES Encryption minimum 128 keys Onboard Cyber Security Chip like Trusted Platform Module/ Public Key Infrastructure Camera Mac Address should be of same Camera OEM BIS Complied. NDAA or NIST or Better
20	Other features	ONVIF Compatible
21	Operating Temperature	0° to 50°C
22	Operating Humidity	Upto 85% RH (non-condensable)
23	Certification	UL (60950), CE, EN & FCC
24	Web Interface	Camera should have Web Interface to configure and control

Sd/-
(Vipan Bhagat), JKAS
Asstt. Chief Executive Officer

3. PTZ Camera 2 MP (Out Door Application) - Technical Specifications

Sr. No.	Parameter	Minimum Specifications
1	Image Sensor	1/2.8 Inch CMOS Progressive Scan or better
2	Resolution Range	1920X1080 in 16:9 format or better
3	Frame Rate	50/60 FPS
4	Compression Standard	H.265 or latest
5	Lens	Lower Focal Length limit to be: 4-7 mm or better Upper Focal Length Limit to be: 130-250 or better
6	Optical Zoom	30x or better
7	Digital Zoom	12x or better
8	IRIS Control	Auto
9	Preset	256 or better
10	Tours	Minimum 04
11	Preset Accuracy	+/- 0.2°
12	Pan & Tilt Speed (Manual)	120° per second for Pan and 90° per second for Tilt
13	Protocol	TCP, HTTP, HTTPS, SNMP, RTSP, SSL.TLS, 802.1x, DNS, ICMP, IP v4 & v6 Remote Administration: Remote configuration and status using web based tool, multicast /unicast.
14	Intelligent Tracking	Auto & Manual
15	Signal Noise Ratio	>=50 dB
16	Back light Compensation	Auto Control
17	Video Streaming	Minimum 03 Streams ,Compression : H.265
18	Pan Movement	360°continuous Pan Rotation
19	Tilt Angle	+20° to -90° or better
20	Security	IEEE 802.1x, IP Address Filter Network authentication EAP/TLS AES Encryption minimum 128 keys / Public Key Infrastructure Camera Mac Address should be of same Camera OEM, NDAA or NIST or Better
21	Wide Dynamic Range (WDR)	120 dB
22	Network Port	RJ45 10/100 Base T
23	IP Protection	IP66, NEMA4 and IK10 or better
24	Image Settings	Color, Brightness, Sharpness, Contrast, White Balance, Backlight Compensation, Privacy Mask, Defog.
25	Video Analytics	Camera should have in-built Edge Based Analytics Video Motion Detection, Active Tampering Alarm, Trip Zone, Abandoned Object, Intrusion Detection, Object Removal, Region Entrance Detection, Region Exiting Detection, Object Counting, Auto tracking, Crowd Management/Similar analytics on move
26	Event Trigger	Motion Detection, Edge Storage Events, External Input, Time Scheduled, Camera Tampering / Shock Detection, Software Alarms.
27	Power	POE+/High POE Compliant
28	Other features	ONVIF S,G & T Compatible, SFP Interface in camera or accessories
29	Operating Temperature	- 20° to 60° C
30	Operating Humidity	Upto 90% RH (non-condensable)
31	IR Illumination	180 meter and better.
32	Web Interface	Camera should have Web Interface to configure and control
33	Edge Storage	Pre-installed minimum storage capacity of 256 GB or more & support upto minimum 1 TB SD Card.

Sd/-
(Vipan Bhagat), JKAS
Asstt. Chief Executive Officer

UN-PRICE BID**(on the Letter Head of the Firm)****To,****The Asstt. Chief Executive Officer (VB),
Shrine Mata Vaishno Devi Shrine Board,
Katra.****Subject: Bid for supply of Misc. IT item.****Ref. CO/Pur/Electronics/26/310-IX dated: 15.09.2026**

I, _____ representative / proprietor of
M/s _____ hereby submit my following rates as
per specification / UOM / / requirement of Shrine Board. The offered rates are NET
inclusive of GST / other taxes and F.O.R at Engg. Store Banganga are as under:

S. no.	Description of Item	Warranty Offered	Brand / Make Offered	NET Rate (Inclusive of GST and other taxes as applicable) F.O.R. Engineering Store, Banganga, Katra.
1.	HDD External (1TB, USB 3.0, 5400 RPM)			
2.	HDD for Desktop – SATA (Internal, 1TB, 5400 RPM)			
3.	SSD for Desktop (Internal, 500 GB)			
4.	Internal SSD 250 GB			
5.	Pen drive 16 GB, USB 3.0, Metal Body			
6.	Pen drive 32 GB, USB 3.0, Metal Body			
7.	Pen Drive 64GB, USB 3.0 Metal Body			
8.	Pen Drive 128GB, USB 3.0 Metal Body			
9.	Memory card Extreme Pro 128 GB			
10.	Memory card Extreme Pro 256 GB			
11.	Memory card Extreme Pro 512 GB			
12.	Mouse USB 3.0 wired			
13.	Keyboard USB 3.0 wired			
14.	Mouse Wireless 2.4 Ghz, USB 3.0			
15.	Keyboard Wireless 2.4 GHz, USB 3.0			
16.	Key board TVS Gold			
17.	Wifi Router with minimum 4 ports (Dual Bank Frequency 2.4 GHz / 5 GHz)			
18.	Wireless USB Adapter "N" Series			
19.	Switch 4 port (PoE+ Switch 4 port) (10/100/1000 Mbps) Manageable			
20.	Switch 8 port (PoE+ Switch 4 port) (10/100/1000 Mbps) Manageable			
21.	Switch 16 port (PoE+ Switch 4 port)			

	(10/100/1000 Mbps) Manageable			
22.	Switch 24 port (PoE+ Switch 4 port) (10/100/1000 Mbps) Manageable			
23.	Monitor TFT / LED 21.5"			
24.	Thermal Printer 3160 Gold			
25.	Wireless QR Code Scanners (Bsi201s)			
26.	Cartridge of 136 column TVSE printer			
27.	UTP Cat 6 Cable (305 Mtr. roll)			
28.	UTP Cat 6 Cable - Armored (305 Mtr. roll)			
29.	CMOS Lithium Battery for M/Board 3V CR 2032			
30.	RJ-45 connector			
31.	RAM – DDR4 for Desktop Computer (4 GB capacity, 3200MHz)			
32.	RAM – DDR4 for Desktop Computer (8 GB capacity, 3200MHz)			
33.	RAM – DDR3 for Desktop Computer (4 GB capacity, 1600 MHz)			
34.	Ram 2 GB (DDR3) for Desktop Computer			
35.	Ram 2 GB (DDR2) for Desktop Computer			
36.	Antivirus with Total Protection			
37.	LAN Crimping Tool			
38.	LAN Tester			
39.	Mouse Pad (Antiskid) – Small			
40.	Cable Wire Stripping Tool			
41.	Plier			
42.	LAN Patch Cord Cable (3mtr. length)			
43.	USB Extension (1.5mtr. length)			
44.	SMPS for Desktop Computer			
45.	4 port USB Hub (3.0)			
46.	Cable HDMI to HDMI (2mtr.)			
47.	Cable HDMI to HDMI (5mtr.)			
48.	DP to HDMI cable for Desktop			
49.	HDMI Cable 15 mtr.			
50.	HDMI Splitter			
51.	HD to AV Convertor			
52.	DP to DP Cable for Desktop Computer			
53.	USB A to USB B Cable for Printers			
54.	Power Cable (for Printer, Desktop etc.)			
55.	USB Type A to Type C			
56.	Compact Disk - RW			
57.	Compact Disk - R			
58.	Punching Tool for Cat 6 Cable			

59.	UPS 1 KVA Line Interactive (Backup of atleast 30 minutes) (Warranty: 2 year on UPS and 2 year on Battery)			
60.	IP based 2 /3 MP Bullet Camera			
61.	IP based 2/3 MP Dome Camera			
62.	IP based 2/3 MP PTZ Camera			
63.	NVR 4 Channel			
64.	NVR 8 Channel			
65.	NVR 16 Channel			
66.	NVR 32 Channel			
67.	Network Rack 6U			
68.	Network Rack 9U			
69.	OFC Armoured 2 core			
70.	OFC Armoured 4 core			
71.	Optical Fiber Cable 24 core (Armored) in Meters			
72.	Optical Fiber Cable 12 core (Armored) in meters			
73.	HDPE Pipe			
74.	PVC Conduit Pipe			
75.	Extension Board			
76.	PVC Box			
77.	PVC Rack			
78.	RF devices (PTP/PTMP)			
79.	PoE Adaptor for RF devices			
80.	Ink Bottles for DCP-T80 DW Ink Tank Printer – Complete Set (BTD60BK – Black, BT5000C – Cyan, BT5000Y – Yellow and BT5000M – Magenta)			
81.	Toner cart. For Brother Printer DCP-7600 DB Complete Set (Black, Cyan, Yellow and Magenta)			
82.	Ink Bottle for Epson L14150 Ink Tank Printer – Complete Set (C13T03Y100 – Black, C13T03Y298 – Cyan, C13T03Y398 – Yellow and C13T03Y498 – Magenta)			
83.	Ink Bottle for Epson L1250 Ink Tank Printer – Complete Set (Black, Cyan, Yellow and Magenta)			
84.	Ink Bottle for Epson L6170 Ink Tank Printer – Complete Set (Black, Cyan, Yellow and Magenta)			
85.	Ink Bottle for Epson L4260 Ink Tank Printer – Complete Set (Black, Cyan, Yellow and Magenta)			
86.	Ink Bottle for Epson L6270 Ink Tank Printer – Complete Set (Black, Cyan, Yellow and Magenta)			
87.	Ink Bottles for Canon G3010 – Complete Set (Black, Cyan, Yellow, Magenta)			
88.	Ink Bottles for Canon G4010 – Complete Set (Black, Cyan, Yellow, Magenta)			

Notwithstanding anything mentioned in our price bid, we hereby accept all the terms & conditions mentioned in the RFIQ which are being signed in token of my acceptance. We hereby undertake and confirm that I / we have understood the specifications properly and shall supply the material as per the required / higher specifications to SMVDSB.

I further affirm that in case, I fail to abide-by the conditions or upto the entire satisfaction of the Shrine Board; I shall be liable to the penalties under rules. I further hereby declare that my firm is not blacklisted.

Seal & Signature _____

M/s _____

Contact Person: _____

Contact Number: _____

E-mail ID: _____

(ON THE LETTER HEAD OF THE FIRM)**BIDDER'S DETAIL**

Name of the Supplier / Party / Firm	
Name of the Authorized Representative	
Mailing Address:	
Phone/Landline No	
Mobile No.	
Fax No.	
E-mail Address	
Website Address (if any)	
Bank details for payment through NEFT / RTGS	Name of the Bank:
	Branch
	Account No
	IFSC Code
	MICR No

Note: Also upload a cancelled cheque for verification of above bank details.

Seal and Signature of the bidder

Place:

Date: